
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



V VOOCCOCK N U R S E R I E S

RIDGEFIELD, CONNECTICUT



PRICE LIST



WOODCOCK NURSERIES

RIDGEFIELD, CONN.

TELEPHONE—RIDGEFIELD 844

Successors to and operators of OUTPOST NURSERIES

GENERAL INFORMATION

SERVICE includes the supplying of Plant Material at our Nurseries; delivery to the client's property; or delivery and planting by a Planting Crew in charge of a Landscape Foreman. Delivery can be made by truck to almost any point at moderate cost, depending upon the distance and the quantity of material. Prompt shipment can be made by freight, carload lots or less; or by express.

Service also includes assistance in design, the selection and arrangement of material, and advice on the maintenance of plants and trees.

Clients are encouraged to personally select their material at the Nurseries.

PRICES in this catalogue cancel all previous listings, and are subject to change without notice. Prices include loading on trucks at our Nurseries, or are F. O. B. our shipping station, and include packing, except on material dug B&B, and on special bulky pieces, shipped by freight in less than carload lots, or by exress, in which case material used in packing is charged additional at cost.

TERMS are net cash unless other arrangements are made at the time of acceptance of the order.

CLAIMS—When stock is not delivered by our truck, our responsibility ceases upon delivery of stock in good condition to transportation company. Claims for damage while stock is in transit should be made promptly to the transportation company.

GUARANTEE—We guarantee to replace without charge Plant Material supplied from our Nurseries and planted by us, which dies from natural causes within one year after planting, provided this material has received normal care, and provided payments have been made promptly as arranged. This guarantee excludes fatalities from tornado, severe drought, abnormal winter, or other conditions over which we have no control.

B&B—Plant Materials which can not be planted successfully with bare roots are dug with a ball of soil, so as not to disturb the root system. This ball is securely wrapped and laced in burlap and is referred to as "balled and burlapped" — B&B. Larger and heavy balls are mounted on platforms.

Prices which include B&B are based upon what we consider a normal ball sufficient for successful planting. Balls of greater diameter will be furnished upon request, at an additional cost.

NOMENCLATURE—Recommendations of "Standardized Plant Names" are used.

HOW TO REACH THE WOODCOCK NURSERIES

Our office is located on Route 35, between the Village of Ridgefield and the intersection of Routes 35 and 7.

BY MOTOR:

From New York City and Lower Westchester County: Hutchinson River Parkway; Merritt Parkway to Norwalk exit; north on Route 7; west on Route 35 for 2.5 miles.

or

Henry Hudson Parkway; Saw Mill River Parkway to Chappaqua; Routes 117 and 172 to Bedford Village; Routes 121 and 123 to South Salem; Route 35 to Nurseries.

From Connecticut Shore Points:

Merritt Parkway to Norwalk exit; north on Route 7; west on Route 35 for 2.5 miles.

From Upper Westchester, Putnam and Dutchess Counties: Route 22 north or south; east on Route 121 or Route 123 to South Salem; Route 35 through Ridgefield to Nurseries.

or

East on Route 6 to Danbury; south on Route 7; west on Route 35 for 2.5 miles.

From Upper Connecticut:

Routes 6 or 7 through Danbury; west on Route 35 for 2.5 miles.

Woodcock Nurseries are:

- 45 miles from New York City line
- 32 miles from Peekskill
- 16 miles from Norwalk
- 40 miles from New Haven
- 64 miles from Hartford

BY RAIL:

Branchville, on the Berkshire Division of The N. Y. N. H. & H. R. R.

or

South Norwalk, on the main line of the N. Y. N. H. & H. R. R.

We will be glad to call for you at the station.

Notify us in advance, or call Ridgefield 844 upon arrival.

Visitors are always welcome.

DECIDUOUS TREES

Deciduous Trees drop their foliage in late Fall and Winter.

EXCEPT in such varieties where heights only are given, Deciduous Trees are measured by their caliper, i. e., the diameter of the trunk six inches above the ground for trees up to six inches caliper. Trees six inches or over in caliper are measured one foot above the ground.

Sizes in caliper as catalogued include trees measuring the smaller size, or between the two sizes given, but do not include trees measuring the larger size. Example: Tree measuring $3\frac{1}{4}$ inches rates as 3 to $3\frac{1}{2}$ inches; tree measuring $3\frac{1}{2}$ inches rates as $3\frac{1}{2}$ to 4 inches.

Heights given with caliper measurements are general averages and are approximate only. Where no caliper appears, height is the governing measurement.

Trees not marked "B&B" (Balled and Burlapped) can be

Trees not marked "B&B" (Balled and Burlapped) can be moved with bare roots when dormant. Should balling and burlapping be desired on such Trees, an extra charge will be made at the following rates:

- 2-3 inches caliper—\$ 5.00 each
- 3-4 inches caliper— 9.00 each
- 4-5 inches caliper— 15.00 each

See General Information for further details on balling and burlapping.

ACER GINNALA

AMUR MAPLE

Height 20 ft.; dense habit; brilliant Fall coloring.

Height 20 It.,	actibe mast,	Dilliani I all coloring.
Caliper	Height	Each Per 10
	6-7 ft. B&B	\$ 5.00 \$ 45.00
	7-8 ft. B&B	6.50 60.00
Specimens		
1	6-7 ft. B&B	6.00 55.00
	7-8 ft. B&B	8.00 72.50
	8-10 ft. B&B	10.00 90.00
	10-12 ft. B&B	12.50 110.00
	12-14 ft. B&B	15.00

ACER PAL. ATROPURPUREUM BLOODLEAF JAP. MAPLE

Height 12 to 15 ft.; rich purple-red coarsely cut foliage; wide spreading head.

1½-2 ft. B&B 6.00 55.00

ACER PLATANOIDES

NORWAY MAPLE

Height 50 to 60 ft.; compact head; dark green foliage turns golden yellow.

turns go	naen	Jenow.		1			
11/2-2	in.	12	ft.		6.00	55	00.6
$2 -2\frac{1}{2}$	in.	13	ft.		7.00	62	2.50
21/2-3	in.	14	ft.		9.50	85	00.6
3 -31/2		. 16	ft.		12.50	110	0.00
	in.	17	ft.		15.00	135	00.6
4 -41/2	in.	18	ft.	B&B	30.00	275	00.6
41/2-5	in.	19	ft.	B&B	40.00	350	0.00
5-6	in.	21	ft.	B&B	60.00	550	0.00
6-7	in.	24	ft.	B&B	75.00	675	5.00
7-8	in.	26	ft.	B&B	90.00	800	0.00
8-9	in.	28	ft.	B&B	110.00	1,000	0.00
9-10	in.	29	ft.	B&B	135.00	1,250	00.0
10-12	in.	31	ft.	B&B	165.00		

ACER RUBRUM

RED MAPLE

Height 50 to 60 ft.; open head; scarlet foliage in Fall; native.

nanve.			
$2\frac{1}{2}$ -3 in.	16 ft.	10.00	90.00
3 -3½ in.	18 ft.	15.00	135.00
31/2-4 in	19 ft. B&B	27.50	

ACER SAC		-	GAR MAPLE
_	0 to 70 ft.; upright spre	eading l	nead; Fall
Caliper	rellow to scarlet; native. Height	Each	Per 10
1½-2 in		\$ 6.50	
$\frac{1}{2} - \frac{2}{2} = \frac{1}{2}$ in		9.00	80.00
$2\frac{1}{2}$ -3 in		12.00	110.00
$3 - 3\frac{1}{2}$ in		15.00	135.00
	n. 19 ft. B&B	25.00	225.00
4 -4 $\frac{1}{2}$ in 4 $\frac{1}{2}$ -5 in		32.50 42.50	300.00 375.00
5-6 ir		65.00	600.00
6-7 ir		80.00	000.00
BETULA AL	BA EURO	PEAN W	HITE BIRCH
	to 60 ft.; upright habit;		
leaves.			
$1\frac{1}{2}-2$ in		9.00	
$\frac{2}{2} - \frac{21}{2}$ ir		12.00	105.00
$2\frac{1}{2}$ -3 in		16.00	
	ACILIS PENDULA W		
leaves.	2 to 15 ft.; weeping habit;	white h	oark small
2 -2½ ir	n. 4-6 ft. B&B	9.00	
$2\frac{1}{2}$ -3 in		13.50	
			EAF BIRCH
	to 60 ft.; upright habit;		
toothed le			
$3\frac{1}{2}-4$ in	n. 28-30 ft. B&B	25.00	225.00
$4 -4\frac{1}{2}$ in		30.00	
$4\frac{1}{2}$ -5 in	n. 32 ft. B&B	37.50	
BETULA PO			RAY BIRCH
	to 30 ft.; multi-stem habit ches; native.	; white	bark with
	m clumps		
0 10 0 210	4-5 ft. B&B	6.00	55.00
	5-6 ft. B&B	7.25	65.00
	6-8 ft. B&B	9.00	80.00
	8-10 ft. B&B	12.50	110.00
	10-12 ft. B&B 12-14 ft. B&B	18.00 23.50	160.00 210.00
	14-16 ft. B&B	30.00	275.00
CARPINUS			HORNBEAM
-			mmetrical
-	e when sheared.	,,,	
	6-7 ft. B&B	8.00	72.50
	7-8 ft. B&B	10.00	90.00
	8-10 ft. B&B	15.00	135.00
	10-12 ft. B&B 12-14 ft. B&B	20.00 25.00	180.00 225.00
CERCIDIBUS	YLLUM JAPONICUM		SURA TREE
	to 50 ft.; tall compact pyr		
	fine foliage.	· dillidai	ilabil, 10 W
	20-22 ft. B&B	75.00	675.00
	22-25 ft. B&B	95.00	
	25-28 ft. B&B	110.00	
	28-30 ft. B&B	125.00	
CLADRASTI			LOW-WOOD
_) to 40 ft.; low branched;	spread	ing habit;
panicles of $1\frac{1}{2}$ -2 in	of white flowers. n. 7 ft. B&B	7.50	67.50
$\frac{1}{2} - \frac{1}{2} = \frac{1}{2}$ in		12.50	110.00
2½-3 ir		16.50	147.50
3 -3½ ir		22.50	

CORNUS FLORIDA WHITE FLOWERING DOGWOOD

Height 20 to 25 ft.; graceful spreading habit; large white flowers; red fruit in Fall; native. Single stem—low branched.

		LOW DIGITOR	Ju.				
Calip	er	Height			ch	Per 1	
		5-6 ft. B			3.00	\$ 55.0	
		6-8 ft. B	&B	7	7.50	67.5	0
		8-10 ft. B	&B	11	1.50	100.0	0
		10-12 ft. B	&B	15	5.00	135.0	0
Specime	ens						
2 -21/2	in.	8-12 ft. I	3&B	17	7.50	150.0	0
21/2-3	in.	10-12 ft. I	3&B	25	5.00	225.0	0
3 -31/2	in.	12-14 ft. I	3&B	32	2.50	300.0	0
31/2-4	in.	12-14 ft. I	3&B	40	0.00	350.0	0
$4 -4\frac{1}{2}$	in.	14-16 ft. I	3&B	50	0.00		
Bush fo	orm clu	ımps					
		4-5 ft.	B&B	6	6.00	55.0	0
		5-6 ft.	B&B	7	7.50	67.5	0
		6-8 ft.	B&B	10	0.00	90.0	0
		8-10 ft.	B&B	15	5.00	135.0	0
		10-12 ft.	B&B	20	0.00	180.0	0
		12-14 ft.	B&B	25	5.00	225.0	0

CORNUS FLOR. RUBRA PINK FLOWERING DOGWOOD

Height 18 to 20 ft.; similar to Cornus florida except flowers vary in color from pink to red; native. Single stem—low branched

-						
		5-6	ft.	B&B	9.00	80.00
		6-7	ft.	B&B	11.50	100.00
		7-8	ft.	B&B	13.50	120.00
		8-10	ft.	B&B	15.00	135.00
		10-12	ft.	B&B	20.00	180.00
Bush	form	clumps				
		3-4	ft.	B&B	5.00	45.00
		4-5	ft.	B&B	7.50	67.50
		5-6	ft.	B&B	10.00	90.00
		6-7	ft.	B&B	12.50	110.00
		7-8	ft.	B&B	15.00	135.00
		8-10	ft.	B&B	17.50	150.00
		10-12	ft.	B&B	22.50	200.00

C. F. XANTHOCARPA YELLOWBERRY DOGWOOD

Height 20 ft.; similar to Cornus florida having yellow instead of red fruit; native.

 Specimens

 2 -2½ in.
 6-8 ft. B&B
 20.00

 2½-3 in.
 6-8 ft. B&B
 27.50

 3 -3½ in.
 7-9 ft. B&B
 35.00

CRATAEGUS ARNOLDIANA ARNOLD HAWTHORN

Height 20 to 25 ft.; open irregular habit; single white flowers; crimson fruit; native.

 Specimens

 4 -4½ in.
 12-14 ft. B&B
 50.00

 4½-5 in.
 14-16 ft. B&B
 70.00

reddish fruit; native.

CRATAEGUS COCCINEA THICKET HAWTHORN Height 18 to 20 ft.; dense habit; single white flowers;

Specimens			
$2\frac{1}{2}$ -3 in.	8-12 ft. B&B	22.50	
3 -3½ in.	10-12 ft. B&B	30.00	275.00
$3\frac{1}{2}-4$ in.	10-14 ft. B&B	40.00	
$4 - 4\frac{1}{2}$ in.	10-14 ft. B&B	50.00	
$4\frac{1}{2}$ -5 in.	12-14 ft. B&B	65.00	
$5 -5\frac{1}{2}$ in.	14-16 ft. B&B	80.00	
$5\frac{1}{2}$ -6 in.	16-18 ft. B&B	95.00	
6-7 in.	16-18 ft. B&B	110.00	

4	woo	DCO	CK I	NURSERIE	S
CRATAEG				ASHINGTON	
				ght habit; wh or clump form	
Calipe		Heig		Each	Per 10
Cumpo		3-4 ft		\$ 4.50	
Specime					
2 -21/2		10-12 ft		17.50	
	in.	10-14 ft		22.50	
3 -3½ 3½-4		12-16 ft 12-16 ft		30.00 40.00	
$\frac{372-4}{4}$		14-16 ft		50.00	
	in.	14-18 ft		65.00	
5 -51/2		14-18 ft		80.00	725.00
51/2-6	in.	14-18 ft		95.00	
6-8	in.	16-20 ft	. В&В	110.00	1,000.00
CRATAEG	US CR	USGALL	I	COCKS	PUR THORN
				g habit; glos	
white flo					
Specimen	ns				
$4 -4\frac{1}{2}$	in.	12-16 ft		50.00	
	in.	12-16 ft		65.00	600.00
5 -5½		14-16 ft		80.00	
5½-6	in.	14-16 ft.	. B&B	95.00	
RATAEG					HAWTHORN
				ranching; wh	ite flowers
shaded 1		ırlet irui	t; nativ	e.	
Specimen		10.14 (1	DCD	00.00	075.00
3 -3½		10-14 ft.		30.00 40.00	275.00 350.00
$3\frac{1}{2}-4$ 4 $-4\frac{1}{2}$	in.	10-14 ft		50.00	330.00
				ENGLISH branches; si	
flowers;			eading	bidiches; si	ngle wille
Specimer		man.			
_	in.	7-10 ft.	B&B	22.50	
3 -31/2		8-12 ft.		30.00	275.00
31/2-4	in.	12-14 ft.	B&B	40.00	
AGUS AI	MERIC <i>A</i>	NA (gr	andifoli	a) AMERI	CAN BEECH
	0 to 60			netrical habit;	
21/2-3	in.	12-14 ft.	B&B		
			DOD	17.50	
3 -31/2 1	in.	14-16 ft.	B&B	22.50	200.00
31/2-4	in.	14-16 ft.	B&B B&B	22.50 30.00	275.00
3½-4 ± 4 -4½ ±	in. in.	14-16 ft. 16-18 ft.	B&B B&B B&B	22.50 30.00 37.50	
$3\frac{1}{2}-4$ 4 $4\frac{1}{2}-5$ $3\frac{1}{2}$	in. in. in.	14-16 ft. 16-18 ft. 16-18 ft.	B&B B&B B&B B&B	22.50 30.00 37.50 42.50	275.00
$3\frac{1}{2}-4$ if $4 - 4\frac{1}{2}$ if $4\frac{1}{2}-5$	in. in.	14-16 ft. 16-18 ft.	B&B B&B B&B B&B	22.50 30.00 37.50	275.00
3½-4 4 -4½ i 4½-5 5-6 AGUS SY	in. in. in. in. YLVATI 50 to 6	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; lo	B&B B&B B&B B&B B&B	22.50 30.00 37.50 42.50 50.00	275.00 325.00 PEAN BEECH
3½-4 4 -4½ i 4½-5 5-6 TAGUS SY Height 5 dense w	in. in. in. in. YLVATI 0 50 to 60 hen she	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; located.	. B&B . B&B . B&B . B&B . B&B	22.50 30.00 37.50 42.50 50.00 EUROR ched symmetr	275.00 325.00 PEAN BEECH
3½-4 1 4 -4½ 1 4½-5 1 5-6 2 YAGUS SY Height 5	in. in. in. in. YLVATI 0 50 to 60 hen she	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch	B&B B&B B&B B&B B&B W-brand	22.50 30.00 37.50 42.50 50.00 EUROI ched symmetr	275.00 325.00 PEAN BEECH rical habit;
3½-4 4 -4½ i 4½-5 5-6 TAGUS SY Height 5 dense w	in. in. in. in. YLVATI 0 50 to 60 hen she	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; located. 4 inch 5-6 ft	B&B B&B B&B B&B B&B w-brand caliper' B&B	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr	275.00 325.00 PEAN BEECH rical habit; 60.00
3½-4 4 -4½ i 4½-5 5-6 TAGUS SY Height 5 dense w	in. in. in. in. YLVATI 0 50 to 60 hen she	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; located. 4 inch 5-6 ft 6-7 ft	B&B B&B B&B B&B B&B W-brand	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr 6.75 8.50	275.00 325.00 PEAN BEECH rical habit; 60.00 75.00
3½-4 4 -4½ i 4½-5 5-6 AGUS SY Height 5 dense w	in. in. in. in. YLVATI 0 50 to 60 hen she	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 6-7 ft 7-8 ft 8-10 ft	B&B B&B B&B B&B B&B W-brand caliper' B&B B&B B&B	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr	275.00 325.00 PEAN BEECH rical habit; 60.00
3½-4 4 -4½ i 4½-5 5-6 TAGUS SY Height 5 dense w	in. in. in. in. YLVATI 0 50 to 60 hen she	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 6-7 ft 7-8 ft 8-10 ft 10-12 ft	B&B B&B B&B B&B B&B W-brand caliper' B&B B&B B&B B&B B&B B&B B&B B&B	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr 6.75 8.50 11.00	275.00 325.00 PEAN BEECH rical habit; 60.00 75.00 95.00
3½-4 4 -4½ i 4½-5 5-6 AGUS SY Height 5 dense w Specimen	in. in. in. in. YLVATI 00 to 60 hen she ns 2 to	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 6-7 ft 7-8 ft 8-10 ft 10-12 ft 12-14 ft	B&B B&B B&B B&B B&B W-brand caliper' B&B B&B B&B B&B B&B	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr 6.75 8.50 11.00 13.50 17.50 22.50	275.00 325.00 PEAN BEECH rical habit; 60.00 75.00 95.00 120.00
3½-4 4 -4½ i 4½-5 5-6 AGUS SY Height 5 dense w	in. in. in. in. YLVATI 00 to 60 hen she ns 2 to	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 6-7 ft 7-8 ft 8-10 ft 10-12 ft 12-14 ft 7 inch	B&B B&B B&B B&B B&B W-branc caliper' B&B B&B B&B B&B B&B B&B B&B B&B B&B Caliper	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr 6.75 8.50 11.00 13.50 17.50 22.50	275.00 325.00 PEAN BEECH rical habit; 60.00 75.00 95.00 120.00 150.00 200.00
3½-4 4 -4½ i 4½-5 5-6 SAGUS SY Height 5 dense w Specimen	in. in. in. in. YLVATI 00 to 60 hen she ns 2 to	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 7-8 ft 8-10 ft 10-12 ft 12-14 ft 7 inch 8-10 ft	B&B B&B B&B B&B B&B W-branc caliper' B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr 6.75 8.50 11.00 13.50 17.50 22.50	275.00 325.00 PEAN BEECH rical habit; 60.00 75.00 95.00 120.00 150.00 200.00
3½-4 4 -4½ i 4½-5 5-6 SAGUS SY Height 5 dense w Specimen	in. in. in. in. YLVATI 00 to 60 hen she ns 2 to	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 7-8 ft 8-10 ft 12-14 ft 7 inch 8-10 ft 10-12 ft	B&B B&B B&B B&B B&B W-brand Caliper' B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	22.50 30.00 37.50 42.50 50.00 EUROI ched symmetr * 6.75 8.50 11.00 13.50 17.50 22.50 *	275.00 325.00 PEAN BEECH Fical habit; 60.00 75.00 95.00 120.00 150.00 200.00 300.00 325.00
3½-4 4 -4½ i 4½-5 5-6 SAGUS SY Height 5 dense w	in. in. in. in. YLVATI 00 to 60 hen she ns 2 to	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 6-7 ft 7-8 ft 8-10 ft 10-12 ft 12-14 ft 7 inch 8-10 ft 10-12 ft 10-12 ft 10-12 ft	B&B B&B B&B B&B B&B W-brand caliper' B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr 6.75 8.50 11.00 13.50 17.50 22.50 * 32.50 37.50 45.00	275.00 325.00 PEAN BEECH Fical habit; 60.00 75.00 95.00 120.00 150.00 200.00 300.00 325.00 400.00
3½-4 4 -4½ i 4½-5 5-6 SAGUS SY Height 5 dense w	in. in. in. in. YLVATI 00 to 60 hen she ns 2 to	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 6-7 ft 7-8 ft 8-10 ft 12-14 ft 10-12 ft 10-12 ft 12-14 ft 14-16 ft	B&B B&B B&B B&B B&B B&B W-branc caliper' B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr 6.75 8.50 11.00 13.50 17.50 22.50 37.50 45.00 55.00	275.00 325.00 PEAN BEECH rical habit; 60.00 75.00 95.00 120.00 150.00 200.00 300.00 325.00 400.00 500.00
3½-4 4 -4½ 4½-5 5-6 FAGUS SY Height 5 dense w	in. in. in. in. YLVATI 00 to 60 hen she ns 2 to	14-16 ft. 16-18 ft. 16-18 ft. 16-18 ft. 16-18 ft. CA 0 ft.; locared. 4 inch 5-6 ft 6-7 ft 7-8 ft 8-10 ft 10-12 ft 12-14 ft 7 inch 8-10 ft 10-12 ft 10-12 ft 10-12 ft	B&B B&B B&B B&B B&B B&B W-branc caliper' B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	22.50 30.00 37.50 42.50 50.00 EUROF ched symmetr 6.75 8.50 11.00 13.50 17.50 22.50 * 32.50 37.50 45.00	275.00 325.00 PEAN BEECH Fical habit; 60.00 75.00 95.00 120.00 150.00 200.00 300.00 325.00 400.00

FAGUS SYLVATICA (continued)

Height	Each	Per 10
12 inch caliper*		
16-18 ft. B&B	\$125.00	
18-20 ft. B&B	135.00	
20-22 ft. B&B	150.00	\$1,350.00
22-24 ft. B&B	165.00	
24-26 ft. B&B	185.00	
	12 inch caliper* 16-18 ft. B&B 18-20 ft. B&B 20-22 ft. B&B 22-24 ft. B&B	12 inch caliper* 16-18 ft. B&B \$125.00 18-20 ft. B&B 135.00 20-22 ft. B&B 150.00 22-24 ft. B&B 165.00

*Mostly multiple stemmed; branched at or near the ground. Calipers indicate approximate base diameter.

FAGUS SYL. PENDULA WEEPING EUROPEAN BEECH

Height 30 to 40 ft.; weeping form of Fagus sylvatica.

Specimens 2 to 4 inch caliper*

8-10 ft. B&B 20.00 10-12 ft. B&B 27.50 12-14 ft. B&B 35.00

Specimens 4 to 5 inch caliper*

14-16 ft. B&B 75.00

*Single stem low-branched.

FAGUS SYLVATICA PURPUREA PURPLE BEECH

Height 50 to 60 ft.; similar to F. sylvatica except foliage, which is crimson in Spring, shading to purple in Summer.

 Specimens
 2 to 4 inch caliper*

 6-7 ft. B&B
 10.00

 7-8 ft. B&B
 12.50

 8-10 ft. B&B
 15.00
 135.00

 10-12 ft. B&B
 20.00

*Mostly multiple stemmed; branched at or near the ground. Calipers indicate approximate base diameter.

FRAXINUS AMERICANA

AMERICAN ASH

Height 60 to 70 ft.; upright spreading habit; foliage bronze-purple in Fall; native.

_	-	· ·		
2 -21/2	in.	12 ft.	6.00	55.00
21/2-3	in.	14 ft.	8.50	75.00
3 -31/2	in.	16 ft.	11.50	

GINKGO BILOBA

MAIDENHAIR TREE

Height 60 to 70 ft.; tall open habit; fan-shaped leaves.

3 -31/2	in.	15 ft. B&B	35.00	
31/2-4	in.	16 ft. B&B	42.50	375.00
4 -41/	ź in.	18 ft. B&B	50.00	450.00
$4\frac{1}{2}-5$	in.	20 ft. B&B	57.50	525.00
5-6	in.	22 ft. B&B	72.50	650.00
6-7	in.	24 ft. B&B	92.50	

GLEDITSIA TRIACANTHOS

HONEYLOCUST

Height 50 to 60 ft.; broad irregular habit; finely divided leaves; native.

$1\frac{1}{2}-2$	in.	11 ft.	8.00	72.50
$2 -2\frac{1}{2}$		12 ft.	13.50	120.00
21/2-3		13 ft.	18.50	
3 -31/2	in.	14 ft. B&B	25.00	
31/2-4	in.	16 ft. B&B	32.50	300.00
4 -41/2	in.	18 ft. B&B	40.00	350.00
41/2-5	in.	19 ft. B&B	50.00	
5-6	in.	20 ft. B&B	60.00	

LIQUIDAMBAR STYRACIFLUA

SWEETGUM

Height 50 to 60 ft.; broad pyramidal habit; winged bark; glossy star-shaped leaves turn brilliant crimson and purple in Fall; native.

$2 - 2\frac{1}{2}$ in	. 12 ft. B&	B 17.50	
$2\frac{1}{2}$ -3 in	i. 13 ft. B&	B 22.50	200.00
3 -3½ in	ı. 15 ft. Bö	B 27.50	250.00
		(Continued of	n next page)

LIQUIDAMBAR	STYRACIFLUA	(continued)
-------------	-------------	-------------

Caliper	Height	Each	Per 10
$3\frac{1}{2}-4$ in.	16 ft. B&B	\$ 15.00	\$315.00
4 $-4\frac{1}{2}$ in.	17 ft. B&B	47.50	425.00
$4\frac{1}{2}$ -5\frac{1}{2} in.	18 ft. B&B	60.00	550.00
5-6 in.	20 ft. B&B	80.00	725.00
6-7 in.	22 ft. B&B	100.00	900.00
7-8 in.	24 ft. B&B	125.00	1,150.00
8-9 in.	25 ft. B&B	150.00	

LIRIODENDRON TULIPIFERA

TULIPTREE

Height 80 ft.; tall open habit; straight trunk; greenishyellow flowers; native.

$2 -2\frac{1}{2}$ in.	14 ft. B&B	16.50	147.50
$2\frac{1}{2}$ -3 in.	15 ft. B&B	22.50	
$3 -3\frac{1}{2}$ in.	17 ft. B&B	28.50	

MAGNOLIA KOBUS

KOBUS MAGNOLIA

Height 25 to 30 ft.; low-branched compact habit; flat white flowers in May.

Single s	tem or	Bush fo	orn	1		
21/2-3	in.	6-9	ft.	B&B	17.50	150.00
3 -31/2	in.	7-10	ft.	B&B	22.50	200.00
31/2-4	in.	9-12	ft.	B&B	27.50	250.00
$4 -4\frac{1}{2}$	in.	9-12	ft.	B&B	35.00	
41/2-5	in.	10-12	ft.	B&B	42.50	
5 -5½	in.	10-12	ft.	B&B	50.00	
51/2-6	in.	10-14	ft.	B&B	60.00	
6-7	in.	10-14	ft.	B&B	75.00	

MAGNOLIA SOULANGEANA

SAUCER MAGNOLIA

Height 20 to 25 ft.; low-branched; large cup-shaped flowers white inside, purplish-pink outside; late April; large dark glossy leaves.

2-3	ft.	B&B	4.25	37.50
3-4	ft.	B&B	6.50	57.50
4-5	ft.	B&B	9.00	80.00
6-8	ft.	B&B	20.00	
8-10	ft.	B&B	25.00	

MAG. S. ALEXANDRINA

ALEXANDER MAGNOLIA

Height 15 to 20 ft.; similar to M. Soulangeana; large white flowers shaded deep-purple at the base on the outside; early April.

5-6	ft.	B.&B	15.00
6-8	ft.	B&B	20.00

MAG. S. SPECIOSA

STRIPED SAUCER MAGNOLIA

Height 15 to 20 ft.; large white flowers are striped with purple; mid April.

6-8	ft.	B&B	20.00	180.00
8-10	ft.	B&B	25.00	

MALUS ARNOLDIANA

ARNOLD CRAB

Height 20 to 25 ft.; open spreading habit; single pink flowers in May; small reddish-yellow fruit.

5-6	ft.	B&B	8.50
6-7	ft.	B&B	10.00

MALUS ATROSANGUINEA

CARMINE CRAB

Height 18 to 20 ft.; single rose-red flowers in May; dark red fruit.

	ft. B&B ft. B&B	7.00 8.50	62.50 75.00
Specimens 2½-3 in.	ft. B&B	25.00	70.00
3 -3½ in.	ft. B&B	30.00	

MALUS FLORIBUNDA JAPANESE FLOWERING CRAB

Height 20 to 25 ft.; open spreading habit; single light-pink flowers in May; small reddish-yellow fruit.

Caliper	Height	Each	Per 10	
	4-5 ft. B&B	\$ 7.00	\$ 62.50	
	5-6 ft. B&B	8.50		

MALUS FLORIBUNDA PURPUREA PURPLE CRAB

Height 20 to 25 ft.; similar to Malus floribunda, with purplish foliage and purple-red fruit.

ol commone		
$4\frac{1}{2}$ -5 in.	10-14 ft. B&B	60.00
5 $-5\frac{1}{2}$ in.	12-14 ft. B&B	75.00
$5\frac{1}{2}$ -6 in.	14-16 ft. B&B	90.00

MALUS HOPA

HOPA CRAB

Height 20 to 25 ft.; symmetrical head; large single deep-red flowers in May; purplish-green foliage; cherry-like red fruit.

	4-5 ft. B&B	7.00
Specimens	3	
$3\frac{1}{2}-4$ in	. 10-14 ft. B&B	37.50

MALUS IOENSIS PLENA

BECHTEL CRAB

Height 20 to 25 ft.; symmetrical head; late-blooming; fragrant double pink flowers two inches wide in May.

	4-5	ft. B&B	7.00
Specimens			
$2^{-2\frac{1}{2}}$ in.	7-9	ft. B&B	20.00
$2\frac{1}{2}$ -3 in.	8-10	ft. B&B	25.00

MALUS NIEDZWETSKYANA

REDVEIN CRAB

Height 25 to 30 ft.; leaves, stems, buds and bark tinged reddish-purple; single deep-pink flowers in May; dark red fruit.

C	nac	40	 -

2 -21/2	in.	7-10 ft. B&B	20.00	180.00
21/2-3	in.	8-12 ft. B&B	25.00	225.00
3 -31/2	in.	10-12 ft. B&B	30.00	275.00
31/2-4	in.	12-14 ft. B&B	37.50	
4 -41/2	in.	12-14 ft. B&B	47.50	
41/2-5	in.	12-14 ft. B&B	60.00	
5 -51/2	in.	12-16 ft. B&B	75.00	
51/2-6	in.	12-16 ft. B&B	90.00	
6-7	in.	12-16 ft. B&B	110.00	
7-8	in.	14-16 ft. B&B	135.00	1,250.00

MALUS PURPUREA ELEYI

ELEY CRAB

Height 20 to 25 ft.; upright open habit; single winered flowers in May; cherry-like dark-red fruit.

	*****		2	
Spec	imens			
31/2-	4 in.	12-14	ft. B&B	37.50
5 -	$5\frac{1}{2}$ in.	14-16	ft. B&B	75.00
51/2-1	6 in.	14-16	ft. B&B	90.00

MALUS REDFIELDI

REDFIELD CRAB

Height 20 ft.; upright informal habit; single large deeppink flowers in May; dark red fruit.

4-5	ft. B&B	7.00	62.50
5-6	ft. B&B	8.50	75.00

MALUS REDFORDI

REDFORD CRAB

Height 20 ft.; similar to M. Redfieldi with single rosepink flowers in May.

4-5	ft. B&B	7.00	62.50
5-6	ft. B&B	8.50	75.00

MALUS ROBUSTA

CHERRY CRAB

Height 20 ft.; upright symmetrical habit; single white flowers in May; bright red fruit.

Caliper	Height	Each	Per 10
	5-6 ft. B&B	\$ 8.50	\$ 75.00
	6-7 ft. B&B	10.00	
	7-8 ft. B&B	13.50	

MALUS SCHEIDECKERI

SCHEIDECKER CRAB

Height 15 to 20 ft.; upright branches; compact form; large double pink flowers in May; large yellow fruit.

	5-6	ft. B&B	8.50
	6-7	ft. B&B	10.00
	7-8	ft. B&B	13.50
Specimens			
$2^{-2\frac{1}{2}}$ in.	6-8	ft. B&B	20.00

MALUS SIEBOLDI

TORINGO CRAB

Height 20 to 25 ft.; upright symmetrical habit; pinkish-white flowers in May; bright red fruit size of a pea.

Specimens			
$2\frac{1}{2}$ -3 in.	8-12 ft. B&B	25.00	225.00
$3 -3\frac{1}{2}$ in.	8-12 ft. B&B	30.00	
$3\frac{1}{2}-4$ in.	10-14 ft. B&B	37.50	325.00
4 $-4\frac{1}{2}$ in.	12-16 ft. B&B	47.50	425.00
$4\frac{1}{2}$ -5 in.	12-16 ft. B&B	60.00	
5 $-5\frac{1}{2}$ in.	14-16 ft. B&B	75.00	

MALUS SIEBOLDI (Zumi) CALOCARPA

Height 15 to 18 ft.; compact habit with rounded head; light-red buds; single pale-pink flowers in May; small red fruit.

	5-6 ft. B&B	8.50
	6-7 ft. B&B	10.00
Specimens		
$3 -3\frac{1}{2}$ in.	7-10 ft. B&B	30.00

MALUS SOULARDI

SOULARD CRAB

Height 15 to 18 ft.; horizontal branching habit; single pale-pink flowers in May; yellowish-pink fruit often 2 inches in diameter.

	5-6 ft. B&B	8.50	
Specimens			
$3 -3\frac{1}{2}$ in.	8-10 ft. B&B	30.00	275.00
$3\frac{1}{2}$ -4 in.	8-12 ft. B&B	37.50	

MALUS SPECTABILIS CHINESE FLOWERING CRAB

Height 20 to 25 ft.; upright spreading branches; coralred flower buds; large double blush-pink flowers in May; reddish-yellow fruit.

	4-5 ft. B&B 5-6 ft. B&B	7.00 8.50	62.50 75.00
	7-8 ft. B&B	13.50	70.00
Specimens	`		
$2\frac{1}{2}$ -3 in.	7-10 ft. B&B	25.00	
$3 -3\frac{1}{2}$ in.	8-10 ft. B&B	30.00	
$3\frac{1}{2}-4$ in.	10-12 ft. B&B	37.50	325.00
4 $-4\frac{1}{2}$ in.	10-14 ft. B&B	47.50	
$4\frac{1}{2}$ -5 in.	12-14 ft. B&B	60.00	
5 $-5\frac{1}{2}$ in.	12-14 ft. B&B	75.00	
$5\frac{1}{2}$ -6 in.	12-16 ft. B&B	90.00	
6-7 in.	12-16 ft. B&B	110.00	
7-8 in.	12-16 ft. B&B	135.00	

MALUS THEIFERA (hupehensis)

TEA CRAB

Height 18 to 20 ft.; irregular spreading habit; single pinkish-white flowers in May; greenish-yellow fruit with red cheek.

(Continued on next page)

MALUS THEIFE	RA (continued)		
Caliper	Height	Each	Per 10
	5-6 ft. B&B	\$ 8.50	
Specimens			
$2 -2\frac{1}{2}$ in.	7-10 ft. B&B	20.00	
$2\frac{1}{2}$ -3 in.	8-10 ft. B&B	25.00	
$3 - 3\frac{1}{2}$ in.	8-10 ft. B&B	30.00	
$3\frac{1}{2}-4$ in.	8-10 ft. B&B	37.50	
$4 - 4\frac{1}{2}$ in.	8-12 ft. B&B	47.50	

MALUS VAN ESELTINEI

VAN ESELTINE CRAB

Height 20 ft.; upright informal habit; red buds; clear pink flowers in May; dark red fruit of medium size.

4-5	ft.	B&B	\$ 7.00	\$ 62.50
5-6	ft.	B&B	 8.50	75.00

HANSENS SIBERIAN CRAB

HANSENS MAYDAY TREE

Introductions of Carl A. Hansen of South Dakota.

Siberian Crab—Height 15 to 18 ft.; informal habit; single pink and white flowers in May; edible red and yellow fruit.

Caliper	H	leight	Each	Per 10	
	5-6	ft. B&B	6.00	55.00	
	6-7	ft. B&B	7.50	67.50	
	7-8	ft. B&B	9.00	80.00	

Mayday Tree—Height 15 to 18 ft.; upright regular head; large single white flowers in May; edible cherry-like red fruit.

4-5	ft.	B&B	5.00	45.00
5-6	ft.	B&B	6.00	55.00

NYSSA SYLVATICA

Height 30 to 40 ft.; broad habit; horizontal branching; dark green foliage turns scarlet in Fall: native

ddik green	ionage turns scarret in i	an; nanv	e.	
Caliper	Height	Each	Per	10
2 $-2\frac{1}{2}$ in.	8 ft. B&B	22.50		
$2\frac{1}{2}$ -3 in.	10 ft. B&B	27.50		
4 $-4\frac{1}{2}$ in.	12 ft. B&B	42.50		
$4\frac{1}{2}$ -5 in.	16 ft. B&B	52.50		
6-7 in.	18 ft. B&B	90.00		

OXYDENDRUM ARBOREUM

SOURWOOD

Height 25 to 30 ft.; irregular graceful habit; drooping clusters of white flowers followed by gray seed-cap-sules; brilliant scarlet foliage in Fall.

$1\frac{1}{2}-2$	in.	6-8	ft.	B&B	11.50	100.00
$2 -2\frac{1}{2}$	in.	8-12	ft.	B&B	17.50	150.00

PLATANUS ORIENTALIS

EUROPEAN PLANETREE

Height 60 to 70 ft.; broad symmetrical habit; flaky bark with gray patches.

1 -11/2	in.	8-10 ft. 10-12 ft.	3.00 4.50	27.50 40.00
4½-5 5-6	in.	20 ft. B&B 22 ft. B&B	50.00 70.00	40.00
6-7	in.	23 ft. B&B	100.00	

POPULUS BE	ROLINENSIS	VOI	GA POPLAR
Height 40 : bark; rapid	to 50 ft.; broad columnar	habit;	gray-green
Caliper	Height	Each	Per 10
1 -1½ in.	_	\$ 2.50	\$ 22.50
$1\frac{1}{2}$ -2 in.	10-14 ft.	3.50	31.50
2 $-2\frac{1}{2}$ in.	12-14 ft.	4.50	40.00
$2\frac{1}{2}$ -3 in.	12-16 ft. B&B	11.50	
6-7 in.	25 ft. B&B	55.00	
7-8 in. 8-9 in.	27 ft. B&B 29 ft. B&B	70.00 85.00	625.00
9-10 in.	32 ft. B&B	100.00	
			DY POPLAR
	to 40 ft.; narrow column		
turn yellow			
$1 -1\frac{1}{2}$ in.	8-12 ft.	3.25	30.00
$1\frac{1}{2}$ -2 in.	10-12 ft.	4.50	40.00
$\frac{2}{2}$ -2½ in.	12-14 ft.	6.00	
$2\frac{1}{2}$ -3 in.	12-14 ft. B&B	12.50	
PRUNUS TON			NG CHERRY
	o 10 ft.; bushy branching s before leaves; red fruit		pink buds
and nower:	3-4 ft. B&B	3.00	27.50
	4-5 ft. B&B	5.00	45.00
	5-6 ft. B&B	8.00	
	6-7 ft. B&B	12.50	
QUERCUS PA	LUSTRIS		PIN OAK
	to 70 ft.; symmetrical pyr		
	drooping branches; glo	ossy fol	iage turns
crimson in	Fall; native. 8-10 ft.	3.50	31.50
$2 -2\frac{1}{2}$ in.	12 ft.	10.00	
$2\frac{1}{2}$ -3 in.	14 ft.	13.50	120.00
$3 -3\frac{1}{2}$ in.		25.00	
$3\frac{1}{2}-4$ in.	17 ft. B&B	32.50	
$4 -4\frac{1}{2}$ in.	18 ft. B&B	40.00	500.00
$4\frac{1}{2}$ -5 in.	20 ft. B&B	55.00	500.00
5-6 in. 6-7 in.	22 ft. B&B 23 ft. B&B	75.00 95.00	675.00 850.00
7-8 in.	25 ft. B&B	120.00	1,100.00
8-9 in.	26 ft. B&B	145.00	1,300.00
9-10 in.	28 ft. B&B	175.00	
QUERCUS RU	JBRA		RED OAK
Height 70	to 80 ft.; broad irregula	r habit;	
	Fall; native.	10.00	00.00
$1\frac{1}{2}$ -2 in. 2 -2\frac{1}{2} in.	11 ft. 12 ft.	10.00 13.50	90.00 120.00
$2^{1/2}-3$ in.	12 it. 14 ft.	18.50	167.50
$3 -3\frac{1}{2}$ in.	15 ft. B&B	30.00	275.00
$3\frac{1}{2}-4$ in.	16 ft. B&B	37.50	
4 $-4\frac{1}{2}$ in.	18 ft. B&B	47.50	
$4\frac{1}{2}$ -5 in.	19 ft. B&B	65.00	600.00
5-6 in. 6-7 in.	22 ft. B&B	85.00	750.00
6-7 in. 7-8 in.	23 ft. B&B 24 ft. B&B	105.00 130.00	950.00
8-9 in.	26 ft. B&B	160.00	
SALIX ALBA			w willow
Height 60			
_	re slightly pendulous.	J &	i
5-6 in.	19 ft. B&B	45.00	
6-7 in.	22 ft. B&B	65.00	
7-8 in.	24 ft. B&B	85.00	
8-9 in.	26 ft. B&B	110.00	
9-10 in. 10-12 in.	28 ft. B&B 30 ft. B&B	130.00 160.00	
10-12 111.	oo it. bob	100.00	

SALIX BABYLONICA BABYLON WEEPING WILLOW

Height 30 to 40 ft.; broad round head; long slender olive-green branches are pendulous.

Caliper	Height	Each	Per 10	
$1\frac{1}{2}$ -2 in.	8 ft.	\$ 6.50	\$ 60.00	
$2 -2\frac{1}{2}$ in.	10 ft.	9.00	80.00	

SALIX CAPREA

GOAT WILLOW

Height 15 to 20 ft.; low-branched small tree; large catkins before leaves.

6-8	ft.	B&B	4.00	36.00
8-10	ft.	B&B	6.50	57.50

SALIX NIOBE

NIOBE WEEPING WILLOW

Height 25 to 30 ft.; broad round head; long slender golden-yellow branches are pendulous.

8-9	in.	20 ft.	B&B	110.00
9-10	in.	22 ft.	B&B	130.00
10-12	in.	23 ft.	B&B	160.00

STYRAX JAPONICA

SNOWBELL

Height 20 to 25 ft.; irregular open habit; pendulous clusters of fragrant white bell-like flowers in May.

	5-6	ft.	B&B	5.00	
	6-7	ft.	B&B	7.50	
	7-8	ft.	B&B	10.00	
	8-10	ft.	B&B	12.50	
Heavy specimens	3				
	5-6	ft.	B&B	6. 50	
	6-7	ft.	B&B	9.00	
	7-8	ft.	B&B	12.50	
	8-10	ft.	B&B	17.50	150.00
]	0-12	ft.	B&B	22.50	
	12-14			27.50	

SYRINGA JAPONICA

JAPANESE TREE LILAC

Height 18 to 20 ft.; multi-stemmed growth; cherry-like bark; dark foliage; large clusters of creamy-white flowers in June and July.

8-9 ft. B&B	10.00	90.00
9-10 ft. B&B	12.50	110.00
10-12 ft. B&B	15.00	135.00
12-14 ft. B&B	17.50	

LITTLELEAF EUROPEAN LINDEN TILIA CORDATA Height 50 to 60 ft.; broad pyramidal habit; small leaves. 10 ft. 7.50 67.50 $1\frac{1}{2}-2$ in. 2 $-2\frac{1}{2}$ in. 12 ft. 9.00 80.00 13 ft. 12.50 21/2-3 in. 110.00 $-3\frac{1}{2}$ in. 15 ft. 150.00 17.50 16 ft. B&B 250.00 27.50 $3\frac{1}{2}-4$ in. 17 ft. B&B 18 ft. B&B 20 ft. B&B 21 ft. B&B 4 $-4\frac{1}{2}$ in. 40.00 350.00 450.00 $4\frac{1}{2}-5$ 50.00 in. 5-6 65.00 600.00 in. 6-7 85.00 in.

TILIA PLATYPHYLLOS BIGLEAF EUROPEAN LINDEN

Height 60 to 80 ft.; broad pyramidal habit; large leaves.

$4 -4\frac{1}{2}$	in.	17 ft. B&B	40.00	
41/2-5	in.	18 ft. B&B	50.00	450.00
5-6	in.	20 ft. B&B	65.00	600.00
6-7	in.	22 ft. B&B	85.00	

TILIA TOMENTOSA

SILVER LINDEN

Height 60 to 70 ft.; upright pyramidal habit; leaves silvery on the under side.

011 1 01 7	011 1110	u.i.u.o.	Da Co.		
Caliper	r	Hei	ght	Each	Per 10
$1\frac{1}{2}-2$	in.	10	ft.	\$ 8.50	\$ 75.00
$2 -2\frac{1}{2}$	in.	12	ft.	10.00	90.00
21/2-3	in.	.13	ft.	15.00	135.00
3 -31/2	in.	15	ft.	20.00	
31/2-4	in.	16	ft. B&B	30.00	
$4 -4\frac{1}{2}$	in.	17	ft. B&B	42.50	
$4\frac{1}{2}-5$	in.	18 :	ft. B&B	55.00	
5-6	in.	20 :	ft. B&B	75.00	
6-7	in.	22 :	ft. B&B	95.00	

COMMON EUROPEAN LINDEN TILIA VULGARIS

Height 60 to 70 ft.; broad pyramidal habit; mediumsized leaves.

11/2-2	in.	10 ft.	7.50	67.50
2 -21/2	in.	12 ft.	9.00	80.00
21/2-3	in.	13 ft.	12.50	110.00
3 -31/2	in.	15 ft.	17.50	150.00
31/2-4	in.	16 ft. B&	B 27.50	250.00
4 -41/2	in.	17 ft. B&	B 40.00	350.00
41/2-5	in.	18 ft. B&	B 50.00	450.00
5-6	in.	20 ft. B&	B 65.00	600.00
6-7	in.	22 ft. B&	B 85.00	
7-8	in.	23 ft. B&	B 110.00	

ULMUS AMERICANA

AMERICAN ELM

Height 70 to 80 ft.; open arching habit; leaves turn yellow in Fall.

•				
4 -41/	2 in.	15 ft. B&B	30.00	275.00
$4\frac{1}{2}-5$	in.	17 ft. B&B	40.00	350.00
5 -6	in.	19 ft. B&B	60.00	550.00
6-7	in.	21 ft. B&B	75.00	

EVERGREEN TREES

Evergreen Trees retain their foliage throughout the year.

Prices on Evergreens include careful balling and burlapping. See General Information for further details.

CHAMAECYPARIS OBTUSA NANA

DWARF HINOKI CYPRESS

Height 5 to 6 ft.; twisted short dark foliage; slow growing.

F	leight			Each	Per 10
2	$-2\frac{1}{2}$	ft.	spread	5.50	
21	2 -3	ft.	spread	6.50	57.50
3	-31/2	ft.	spread	8.00	

CHAM. PISIFERA

SAWARA CYPRESS

Height 25 to 30 ft.; open pyramidal form; foliage is glossy above, whitish beneath; rapid growing.

7-8	ft.	⁻ 12.50	110.00
8-9	ft.	15.00	135.00
9-10	ft.	17.50	
10-12	ft.	22.50	

CHAM. PISIFERA AUREA GOLDEN SAWARA CYPRESS Golden yellow form of Cham. pisifera.

	_	
7-8	ft.	12.50
8-9	ft.	15.00
9-10	ft	17.50

CHAM. PISIFERA F					CYPRESS
Height 15 to 20	ft.; gra	ceful	pyramic	dal form;	slender
pendulous twigs;	dark	green	foliage		
	Heigh	ıt		Each	Per 10
	6-7	ft.		\$10.00	\$ 90.00
	7-8	ft.	•	12.50	110.00
	7-6 8-9	ft.	5	15.00	135.00
	-			17.50	150.00
	9-10	ft.		22.50	130.00
•	10-12	ft.		22.50	
CHAM. PISIFERA P	LUMO	SA		PLUM	E CYPRESS
Height 25 to 35 foliage.	ft.; d	ense	conical	form;	feathery
3	6-7	ft.		10.00	
	7-8	ft.		12.50	
	8-9	ft.		15.00	135.00
	9-10	ft.		17.50	100.00
	9-10				
CHAM. PIS. PL. AU	JREA	(GOLDE	N PLUM	E CYPRESS
Height 20 to 25	ft.; o	golden	yellow	form o	of Cham.
pisifera plumosa.	ı				
	7-8	ft.		12.50	110.00
	8-9	ft.		15.00	135.00
	9-10	ft.		17.50	100.00
CHAM. PIS. SQUAR					
Height 25 to 30) ft.; }	broad	dense	pyramic	lal form;
woolly blue-gray	foliag	e.			
	9-10	ft.		17.50	
		ft.		22.50	
CRYPTOMERIA JAI					
Height 30 to 40 t					ark green
foliage in tufts o	on hori:	zontal	branch	es.	
	10-12	ft.		22.50	
	12-14	ft.		27.50	
	12-14 14-16	ft. ft.			
	14-16			27.50 32.50	e Himber
JUNIPERUS CHINEI	14-16 NSIS	ft.	form: h	27.50 32.50 CHINES	SE JUNIPER
JUNIPERUS CHINES Height 15 to 20 ft	14-16 NSIS	ft.	form; b	27.50 32.50 CHINES	-
JUNIPERUS CHINEI	14-16 NSIS t.; pyra	ft.	form; b	27.50 32.50 CHINES lue-green	-
JUNIPERUS CHINES Height 15 to 20 ft	14-16 NSIS t.; pyra	ft. midal ft.	form; b	27.50 32.50 CHINES due-green 6.50	n foliage;
JUNIPERUS CHINES Height 15 to 20 ft	14-16 NSIS t.; pyra 5-6 6-7	ft. midal ft. ft.	form; b	27.50 32.50 CHINES clue-green 6.50 9.00	-
JUNIPERUS CHINES Height 15 to 20 ft	14-16 NSIS t.; pyra	ft. midal ft.	form; b	27.50 32.50 CHINES due-green 6.50	n foliage;
JUNIPERUS CHINEI Height 15 to 20 ft purple berries.	14-16 NSIS t.; pyra 5-6 6-7 7-8	ft. midal ft. ft. ft. ft.		27.50 32.50 CHINES clue-green 6.50 9.00 11.50	n foliage; 80.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU	ft. midal ft. ft. ft. ft. tt.	F	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE	n foliage;
JUNIPERUS CHINEI Height 15 to 20 ft purple berries.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU	ft. ft. ft. ft. ft. td. gt. gt. gt. gt. gt. gt. gt. gt. gt. gt	F	27.50 32.50 CHINES due-green 6.50 9.00 11.50 ORTUNE	80.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4	ft.	F	27.50 32.50 CHINES due-green 6.50 9.00 11.50 ORTUNE form. 4.00	n foliage; 80.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4	ft. ft. ft. ft. ft. td. gt. gt. gt. gt. gt. gt. gt. gt. gt. gt	F	27.50 32.50 CHINES due-green 6.50 9.00 11.50 ORTUNE	80.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON	ft. ft. ft. ft. ft. ft. ft. ft. JNEI d pyro ft. ft.	Fumidal f	27.50 32.50 CHINES due-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00	80.00 S JUNIPER 36.00 SE JUNIPER
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON	ft. ft. ft. ft. ft. ft. ft. ft. JNEI d pyro ft. ft.	Fumidal f	27.50 32.50 CHINES due-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00	80.00 S JUNIPER 36.00 SE JUNIPER
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s.	ft. ft. ft. ft. ft. ft. ft. ft. d pyro ft. ft. ft. haped	Finite of the state of the stat	27.50 32.50 CHINES due-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00	80.00 S JUNIPER 36.00 SE JUNIPER
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 4-5 JAPON vase-s. ge; slov	ft. ft. ft. ft. JNEI d pyro ft. ft. ft. ft. w grov	form; cwing.	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES	80.00 S JUNIPER 36.00 SE JUNIPER branches;
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-sige; slov 2 -2½	ft. ft. ft. ft. ft. ft. JNEI d pyro ft.	form; owing.	27.50 32.50 CHINES due-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 (APANES arching b	80.00 S JUNIPER 36.00 SE JUNIPER
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s. ge; slov 2 -2½2 2½-3	ft. ft. ft. ft. ft. JNEI d pyro ft.	form; owing.	27.50 32.50 CHINES dlue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 (APANES arching h	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-sige; slov 2 -2½-3 IGA	ft.	form; owing. pread	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES arching 1 5.00 7.50 CHINES	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage JUN. CHIN. OBLON Height 6 to 8 ft.;	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s. ge; slor 2 -2½ 2½-3 IGA compo	ft.	form; owing. pread	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES arching 1 5.00 7.50 CHINES	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s. ge; slor 2 -2½ 2½-3 IGA compo	ft.	form; owing. pread	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES arching 1 5.00 7.50 CHINES	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage JUN. CHIN. OBLON Height 6 to 8 ft.;	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s. ge; slor 2 -2½ 2½-3 IGA compo	ft.	form; owing. pread	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES arching 1 5.00 7.50 CHINES	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage JUN. CHIN. OBLON Height 6 to 8 ft.;	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-sige; slov 2 -2½-3 IGA compo	ft. ft. ft. ft. ft. JNEI d pyro ft. ft. ft. IICA haped w grow ft. sp ft. sp	form; owing. pread	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES criching in 5.00 7.50 CHINES light gr	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER reen tight
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage JUN. CHIN. OBLON Height 6 to 8 ft.; foliage; slow green	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-sige; slov 2 -2½-3 IGA compo	ft. midal ft. ft. ft. ft. JNEI d pyro ft. ft. ft. IICA haped w grow ft. sp ft. sp cact ove ft. ft.	form; owing. oread oread oread oread oread oread oread oread oread	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES crching h 5.00 7.50 CHINES light gr	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER been tight 90.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage JUN. CHIN. OBLON Height 6 to 8 ft.; foliage; slow green JUNIPERUS CHIN.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-si ge; slov 2 -2½-3 IGA component owing. 3-4 4-5 PFITZE	ft. midal ft. ft. ft. ft. ft. JNEI d pyro ft. ft. ft. ft. Grad w grow ft. sp ft. sp cat ovo	form; of wing. pread pr	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES arching h 5.00 7.50 CHINES light gr	80.00 S JUNIPER 36.00 SE JUNIPER Pranches; 45.00 SE JUNIPER Peen tight 90.00
JUNIPERUS CHINE Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage JUN. CHIN. OBLON Height 6 to 8 ft.; foliage; slow green JUNIPERUS CHIN. Open low-brance	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-si ge; slov 2 -2½-3 IGA component owing. 3-4 4-5 PFITZE	ft. midal ft. ft. ft. ft. ft. JNEI d pyro ft. ft. ft. ft. Grad w grow ft. sp ft. sp cat ovo	form; of wing. pread pr	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES arching h 5.00 7.50 CHINES light gr	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER been tight 90.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliage JUN. CHIN. OBLON Height 6 to 8 ft.; foliage; slow green JUNIPERUS CHIN.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s. ge; slor 2 -2½2 2½-3 IGA componing. 3-4 4-5 PFITZE ched	ft. midal ft.	form; owing. oread oread oread oread oread oread oread oread oread	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES arching h 5.00 7.50 CHINES light gr	80.00 S JUNIPER 36.00 SE JUNIPER Pranches; 45.00 SE JUNIPER Peen tight 90.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliace JUN. CHIN. OBLON Height 6 to 8 ft.; foliage; slow green JUNIPERUS CHIN. Open low-brance branches.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s. ge; slov 2 -2½-3 IGA component owing. 3-4 4-5 PFITZE ched 15-18	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	form; owing. oread oread oread oread original form;	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES arching h 5.00 7.50 CHINES light gr	80.00 S JUNIPER 36.00 SE JUNIPER Pranches; 45.00 SE JUNIPER Peen tight 90.00
JUNIPERUS CHINEI Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliace JUN. CHIN. OBLON Height 6 to 8 ft.; foliage; slow green JUNIPERUS CHIN. Open low-brance branches.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s. ge; slor 2 -2½2 2½-3 IGA componing. 3-4 4-5 PFITZE ched	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	form; owing. oread oread oread oread oread oread oread oread oread	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES crching h 5.00 7.50 CHINES light gr 10.00 15.00 PFITZE form; gr	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER been tight 90.00 SR JUNIPER blume-like
JUNIPERUS CHINE Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliace JUN. CHIN. OBLON Height 6 to 8 ft.; foliage; slow green JUNIPERUS CHIN. Open low-brance branches.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-s. ge; slov 2 -2½-3 IGA component owing. 3-4 4-5 PFITZE ched 15-18	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	form; owing. oread oread oread oread original form;	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES crching h 5.00 7.50 CHINES light gr 10.00 15.00 PFITZE form; r 2.75	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER been tight 90.00 R JUNIPER blume-like 25.00 31.50
JUNIPERUS CHINE Height 15 to 20 ft purple berries. JUNIPERUS CHIN. Height 8 to 10 ft. JUNIPERUS CHIN. Height 4 to 5 ft.; deep green foliate JUNIPERUS CHIN. Height 6 to 8 ft.; foliage; slow green JUNIPERUS CHIN. Open low-brance branches.	14-16 NSIS t.; pyra 5-6 6-7 7-8 FORTU .; broad 3-4 4-5 JAPON vase-sige; slov 2 -2½-3 IGA componing. 3-4 4-5 PFITZE ched 15-18 1½-2	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	form; of wing. or ead of all form; A ding for ead or ead or ead	27.50 32.50 CHINES clue-green 6.50 9.00 11.50 ORTUNE form. 4.00 5.00 APANES crching h 5.00 7.50 CHINES light gr 10.00 15.00 PFITZE form; gr 2.75 3.50	80.00 S JUNIPER 36.00 SE JUNIPER branches; 45.00 SE JUNIPER een tight 90.00 R JUNIPER blume-like 25.00

(Continued on next page)

Heigh	t		Each	Per 10
3 -31/2	ft.	spread	\$ 6.00	\$ 55.00
31/2-4	ft.	spread	7.00	6 2.50
4-5	ft.	spread	9.50	85.00
6-7	ft.	spread	15.00	
7-8	ft.	spread	18.50	
8-10	ft.	spread	22.50	

JUNIPERUS HORIZONTALIS DOUGLASI

WAUKEGAN JUNIPER

Prostrate	form;	purplish-green foliage; slow growing.
		15-18 in. spread 3.00
		1½-2 ft. spread 4.00
		2 -2½ ft. spread 5.00
		2½-3 ft. spread 6.00

JUNIPERUS RIGIDA

NEEDLE JUNIPER

Height 25 to 30 ft.; graceful columnar form; pendulous branches; gray-green foliage.

4-5	ft.	9.50	
5-6	ft.	11.50	100.00
6-7	ft.	13.50	

IUNIPERUS SQUAMATA

Prostrate form; dense blue-green foliage.

2 -21/2	ft.	spread	6.00
21/2-3	ft.	spread	7.50
3 -31/2	ft.	spread	9.00
31/2-4	fŧ	spread	12.00

JUNIPERUS VIRGINIANA CANAERTI

CANAERT REDCEDAR

Height 20 to 25 ft.; columnar form; dark green foliage; blue berries; similar to native Redcedar.

4-5	ft.	6.50	
5-6	ft.	8.50	75.00
6-7	ft.	11.50	

JUNIPERUS VIRGINIANA GLAUCA SILVER REDCEDAR

Height 20 to 25 ft.; broad columnar form; silvery-blue foliage; similar to native Redcedar.

		•	
3-4	ft.	4.50	40.00
4-5	ft.	5.50	50.00
5-6	ft.	6.50	57.50
10-12	ft.	22.50	200.00
12-14	ft.	27.50	250.00
14-16	ft.	35.00	315.00

JUNIPERUS VIR. KETELEERI

KETELEER REDCEDAR

Height 18 to 20 ft.; broad pyramidal form; bluish-green foliage; light-blue berries.

5-6	ft.	6.50	6	57.50
6-7	ft.	9.00		
7-8	ft.	11.50		

JUNIPERUS VIR. PENDULA WEEPING REDCEDAR

Height 6 to 8 ft.; spreading semi-upright form; slender pendulous branches; deep green foliage.

2-3	ft.	4.00	36.00
3-4	ft.	6.50	57.50
4-5	ft.	9.00	

JUNIPERUS VIRGINIANA SMITHI SMITH REDCEDAR

Height 5 to 6 ft.; oval form; light gray-green foliage.

		_	-		_
2-3	ft.			5.50	50.00
3-4	ft.			7.50	67.50

PICEA EXCELSA PENDULA WEEPING NORWAY SPRUCE

Height 20 to 25 t.; weeping branches; dark foliage.

Height	Each	Per	10
5-6 ft.	\$ 11.00		
6-7 ft.	13.50		

PICEA ORIENTALIS

ORIENTAL SPRUCE

Height 45 to 50 ft.; slender pendulous branchlets; short-needled dark glossy foliage.

5-6 ft.	\$13.50	\$120.00
6-7 ft.	17.50	
7-8 ft.	22.50	

PICEA PUNGENS

COLORADO SPRUCE

Height 50 to 60 ft.; symmetrical form; horizontal limbs. The strain Picea p. glauca (Colorado Blue Spruce) is included in this list and may be selected for color.

Calip	er	Height	Each	Per 10
4-5	in.	10-14 ft.	27.50	
5-6	in.	14-18 ft.	37.50	325.00
6-7	in.	16-20 ft.	55.00	
7-8	in.	18-22 ft.	75.00	
8-9	in.	20-24 ft.	95.00	
9-10	in.	20-24 ft.	115.00	

PINUS CEMBRA

SWISS STONE PINE

Height 40 to 50 ft.; narrow dense pyramidal form; foliage light-green above, dark beneath; slow-growing; five-needled.

3-4	ft.	9.50	85.00
4-5	ft.	12.50	
5-6	ft.	17.50	
6-7	ft.	22.50	200.00
7-8	ft.	27.50	250.00
8-9	ft.	32.50	300.00
9-10	ft.	37.50	

PINUS FLEXILIS

LIMBER PINE

Height 50 to 60 ft.; narrow irregular pyramidal form; tufted dark-green foliage; five-needled.

		_	
6-7	in.	18-20 ft.	60.00
7-8	in.	20-24 ft.	80.00
8-9	in.	20-24 ft.	100.00
9-10	in.	22-24 ft.	125.00

PINUS NIGRA

AUSTRIAN PINE

Height 50 to 60 ft.; dense irregular pyramidal form; sturdy spreading limbs; two-needled.

-				
6-7	in.	16-20 ft.	75.00	675.00
7-8	in.	16-20 ft.	90.00	800.00
8-9	in.	20-24 ft.	110.00	1,000.00
9-10	in.	20-24 ft.	135.00	1,250.00

PINUS RESINOSA

RED PINE

Height 60 to 70 ft.; broad open pyramidal form; stout spreading limbs; two-needled.

spread	mg	mmps; two	-11 0 6	aiea.		
2-4	in.	4-5	ft.		7.50	67.50
2-4	in.	5-6	ft.		10.00	90.00
2-4	in.	6-7	ft.		13.50	120.00
2-4	in.	7-8	ft.		17.50	150.00
2-4	in.	8-10	ft.		22.50	200.00
2-4	in.	10-12	ft.		27.50	250.00
4-6	in.	12-14	ft.		32.50	
4-6	in.	14-16	ft.		40.00	
6-7	in.	16-20	ft.		75.00	
7-8	in.	18-20	ft.		90.00	800.00
8-9	in.	20-24	ft.		110.00	
9-10	in.	20-24	ft.		135.00	1,250.00

PINUS STROBUS

WHITE PINE

Height 60 to 80 ft.; broad open pyramidal form becomes irregular with age; soft light-green foliage; five-needled.

Calip	er	Height	Each	Per 10
-		3-4 ft.	\$ 5.00	\$ 45.00
		4-5 ft.	6.00	55.00
		5-6 ft.	9.00	80.00
		6-7 ft.	12.00	105.00
5-6	in.	16-22 ft.	60.00	
6-7	in.	22-26 ft.	75.00	
7-8	in.	22-26 ft.	90.00	
8-9	in.	24-28 ft.	110.00	
9-10	in.	24-28 ft.	135.00	1,250.00

PINUS SYLVESTRIS

SCOTCH PINE

Height 50 to 60 ft.; irregular spreading habit; bluegreen foliage is open and twisted; conspicuous orangebrown bark; two-needled.

		7-8 ft.	15.00	
6-7	in.	14-16 ft.	50.00	450.00

PINUS THUNBERGI

JAPANESE BLACK PINE

Height 30 to 40 ft.; broad open pyramidal form; two-needled.

3-4	ft.	6.00	
4-5	ft.	7.50	67.50
5-6	ft.	10.00	90.00
6-7	ft.	12.50	

PSEUDOTSUGA DOUGLASI

DOUGLAS FIR

Height 50 to 60 ft.; broad pyramidal form; horizontal branches; gray-green foliage.

8-9 ft.	17.50	
9-10 ft.	22.50	
10-12 ft.	30.00	275.00
12-14 ft.	37.50	325.00
14-16 ft.	47.50	425.00
16-18 ft.	57.50	525.00
18-20 ft.	67.50	
20-22 ft.	80.00	

TAXUS BACCATA REPANDENS

SPREADING ENGLISH YEW

Height $1\frac{1}{2}$ to 2 ft.; low-growing; arching branches; long dark needles.

$1\frac{1}{2}-2$	ft.	spread	5.00	
2 -21/2	ft.	spread	6.50	
21/2-3	ft.	spread	8.00	
3 -31/2	ft.	spread	10.00	90.00
$3\frac{1}{2}-4$	ft.	spread	12.50	110.00
4-5	ft.	spread	17.50	150.00
5-6	ft.	spread	25.00	
6-7	ft.	spread	32.50	
7-8	ft.	spread	40.00	

TAXUS CUSPIDATA

JAPANESE YEW

Height 5 to 8 ft.; spread 15 to 18 ft.; arching branches; dark waxy foliage.

15-18	in.	spread	3.50	31.50
$1\frac{1}{2}$ -2	ft.	spread	5.00	45.00
2 -21/2	ft.	spread	6.50	57.50
$2\frac{1}{2}$ -3	ft.	spread	8.00	
3 -31/2	ft.	spread	10.00	
31/2-4	ft.	spread	12.50	110.00
4-5	ft.	spread	17.50	150.00
5-6	ft.	spread	25.00	225.00
6-7	ft.	spread	32.50	300.00

(Continued on next page)

TAXUS CUSPIDATA (continued)

Heigh	nt	Each	Per 10
7-8	ft. spread	\$40.00	\$350.00
8-9	ft. spread	50.00	450.00
9-10	ft. spread	60.00	550.00
10-12	ft. spread	75.00	675.00
12-14	ft. spread	95.00	

TAXUS CUSP. CAPITATA UPRIGHT JAPANESE YEW

Height 20 to 25 ft.; broad conical form; dense foliage.

15-18	in.	3.50	31.50
11/2-2	ft.	4.50	40.00
$2 -2\frac{1}{2}$	ft.	5.50	50.00
21/2-3	ft.	7.00	62.50
3 -31/2	ft.	8.50	75.00
31/2-4	ft.	10.00	90.00
4-5	ft.	15.00	135.00
5-6	ft.	22.50	200.00
6-7	ft.	30.00	275.00
7-8	ft.	37.50	325.00
8-9	ft.	45.00	400.00
9-10	ft.	55.00	500.00
10-12	ft.	70.00	625.00
12-14	ft.	85.00	750.00

TAXUS CUSP. MOON'S COLUMNARIS

MOON'S COLUMNAR YEW

Height 8 to 10 ft.; broad conical form; dense foliage.

10-12	in.	2.75	26.00
12-15	in.	3.50	33.50
15-18	in.	5.00	47.50
11/2-2	ft.	6.50	62.50

TAXUS CUSPIDATA NANA

AXUS CUSPIDATA NANA DWARF JAPANESE YEW Height 2 to 3 ft.; spread 8 to 15 ft.; irregular spreading habit; irregular deep-green foliage; slow-growing.

12-15	in.	spread	4.00	36.00
		-		45.00
		-		55.00
		_		75.00
		_		7 0.00
		-		
		_		200.00
4 -41/2		_		250.00
		-		315.00
		-		375.00
		-		450.00
		-		200.00
	2½-3 3 -3½ 3½-4 4 -4½ 4½-5	$\begin{array}{lll} 15\text{-}18 & \text{in.} \\ 1\frac{1}{2}\text{-}2 & \text{ft.} \\ 2 & -2\frac{1}{2} & \text{ft.} \\ 2\frac{1}{2}\text{-}3 & \text{ft.} \\ 3 & -3\frac{1}{2} & \text{ft.} \\ 3\frac{1}{2}\text{-}4 & \text{ft.} \\ 4 & -4\frac{1}{2} & \text{ft.} \\ 4\frac{1}{2}\text{-}5 & \text{ft.} \\ 5 & -5\frac{1}{2} & \text{ft.} \\ 5\frac{1}{2}\text{-}6 & \text{ft.} \\ \end{array}$	15-18 in. spread 1½-2 ft. spread 2 -2½ ft. spread 2½-3 ft. spread 3 -3½ ft. spread 3½-4 ft. spread 4 -4½ ft. spread 4½-5 ft. spread 5 -5½ ft. spread 5 -5½ ft. spread	15-18 in. spread 5.00 1½-2 ft. spread 6.00 2 -2½ ft. spread 8.50 2½-3 ft. spread 12.50 3 -3½ ft. spread 17.50 3½-4 ft. spread 22.50 4 -4½ ft. spread 27.50 4½-5 ft. spread 35.00 5 -5½ ft. spread 42.50 5½-6 ft. spread 50.00

TAXUS CUSPIDATA SIEBOLDI

SIEBOLD YEW

Height 5 to 8 ft.; spread 12 to 15 ft.; compact spreading habit; dense deep green foliage.

7-8	ft.	spread	50.00	
8-9	ft.	spread	60.00	
9-10	ft.	spread	75.00	675.00
10-12	ft.	spread	90.00	

TAXUS MEDIA

HYBRID YEW

Height 4 to 5 ft.; similar to T. cusp.; more dense upright habit and lighter green foliage.

15-18	in.	spread	3.50	31.50
11/2-2	ft.	spread	5.00	45.00
2 -21/2	ft.	spread	6.50	57.50
21/2-3	ft.	spread	8.00	72.50
3 -31/2	ft.	spread	10.00	
$3\frac{1}{2}-4$	ft.	spread	12.50	
4-5	ft.	spread	17.50	150.00
5-6	ft.	spread	25.00	225.00

TAXUS MEDIA HATFIELDI

HATFIELD YEW

Height 10 to 12 ft.; compact narrow columnar form; numerous vertical stems; dark foliage.

Height	Each	Per	10
$1\frac{1}{2}$ -2 ft.	\$ 5.00		
$2 -2\frac{1}{2}$ ft.	6.50		

TAXUS MEDIA HICKSI

HICKS YEW

Height 10 to 12 ft.; compact columnar form; numerous vertical stems; dark foliage.

•	_		
15-18	in.	\$ 4.00	\$ 36.00
$1\frac{1}{2}$ -2	ft.	5.50	50.00
2 -21/2	ft.	7.00	62.50
21/2-3	ft.	8.50	75.00
3 -31/2	ft.	10.00	90.00
$3\frac{1}{2}-4$	ft.	15.00	
4-5	ft.	22.50	
5-6	ft.	30.00	275.00
6-7	ft.	37.50	325.00
7-8	ft.	45.00	

THUJA OCCIDENTALIS

AMERICAN ARBORVITAE

Height 20 to 30 ft.; broad pyramidal form; dense foliage.

12-14	ft.	20.00	180.00
14-16	ft.	27.50	250.00
16-18	ft.	35.00	315.00
18-20	ft.	45.00	400.00
20-22	ft.	55.00	500.00
22-24	ft.	65.00	600.00

THUJA OCC. DOUGLASI PYRAMIDALIS

DOUGLAS ARBORVITAE

Height 20 to 25 ft.; narrow pyramidal form; dense twisted foliage. Can supply also golden-tipped variety aurea.

15-18	in.	1.50	13.50
11/2-2	ft.	2.25	20.00
5-6	ft.	7.50	
6-7	ft.	9.00	
7-8	ft.	11.00	
8-9	ft.	13.50	
14-16	ft.	30.00	275.00
16-18	ft.	40.00	350.00
18-20	ft.	50.00	450.00
20-22	ft.	60.00	

THUJA OCC. GLOBE FORM

GLOBE ARBORVITAE

Height 6 to 8 ft.; dense dwarf oval form; dark foliage.

15-18	in.	2.50	22.50
4-5	ft.	7.50	67.50
5-6	ft.	10.00	90.00
6-7	ft.	12.50	

GEORGE PEABODY ARBORVITAE

T. OCC. LUTEA GEORGE PEABODY ARBORVITA
Height 12 to 15 ft.; broad pyramidal form; bright golden-yellow foliage.

6-7	ft.	8.50	
7-8	ft.	11.00	95.00
8-9	ft.	13.50	
9-10	ft.	16.50	
10-12	ft.	20.00	180.00
12-14	ft.	25.00	225.00
14-16	ft.	30.00	
10-12 12-14	ft. ft.	16.50 20.00 25.00	

T. OCC. PYRAMIDALIS PYRAMIDAL ARBORVITAE Height 25 to 30 ft.; narrow compact pyramidal form; deep green foliage.

Height		Each	Per 10	
15-18	in.	\$ 1.50	\$ 13.50	
11/2-2	ft.	2.25	20.00	
2-3	ft.	3.00	27.50	
12-14	ft.	25.00	225.00	
14-16	ft.	30.00	275.00	
16-18	ft.	40.00	350.00	
18-20	ft.	50.00		

THUJA OCC. WAREANA

WARE ARBORVITAE

Height 10 to 12 ft.; broad dense pyramidal form; dark foliage.

15-18	in.	2.00	17.50
$1\frac{1}{2}$ -2	ft.	3.00	27.50
6-7	ft.	8.50	75.00
7-8	ft.	11.50	100.00
8-9	ft.	15.00	135.00
9-10	ft.	20.00	180.00
10-12	ft.	25.00	225.00

THUJA STANDISHI

STANDISH ARBORVITAE

Height 15 to 20 ft.; broad columnar form; foliage is light green above; dark beneath.

3-4	ft.	4.00	36.00
4-5	ft.	5.00	

TSUGA CANADENSIS

CANADIAN HEMLOCK

Height 70 to 80 ft.; graceful pyramidal habit; pendulous branchlets; soft dark foliage.

2-3	ft.	4.50	42.50
3-4	ft.	6.00	57.50
4-5	ft.	7.50	67.50
5-6	ft.	10.00	90.00
6-7	ft.	13.50	120.00
7-8	ft.	16.50	
8-9	ft.	20.00	
9-10	ft.	27.50	
10-12	ft.	37.50	325.00
12-14	ft.	47.50	425.00
14-16	ft.	60.00	550.00
16-18	ft.	75.00	675.00

TSUGA CANADENSIS OUTPOSTI

Height 12 to 15 ft.; compact variety of T. canadensis; very dark needles in close formation; slow-growing.

Height	Each
3 -3½ ft.	7.50
$3\frac{1}{2}-4$ ft.	10.00
4 $-4\frac{1}{2}$ ft.	12.50

T. CAN. PENDULA SARGENT WEEPING HEMLOCK

Height 6 to 8 ft.; weeping flat-topped form; slow-growing.

Available in both upright and low spreading types; priced according to greatest dimension.

$3\frac{1}{2}-4$ ft.	10.00	
4 -4½ ft.	15.00	135.00
$4\frac{1}{2}$ -5 ft.	20.00	180.00
5-6 ft.	27.50	250.00
6-7 ft.	37.50	325.00
7-8 ft.	47.50	
8-9 ft.	57.50	

TSUGA CAROLINIANA

CAROLINA HEMLOCK

Height 50 to 60 ft.; compact pyramidal habit; dense curly dark foliage.

Heigh	ıt	Each	Per 10
$2 -2\frac{1}{2}$	ft.	\$ 5.00	\$ 45.00
21/2-3	ft.	6.00	55.00
3-4	ft.	7.00	
4-5	ft.	8.50	75.00
5-6	ft.	11.50	
6-7	ft.	15.00	
10-12	ft.	40.00	350.00
12-14	ft.	50.00	450.00
14-16	ft.	62.50	
16-18	ft.	80.00	
18-20	ft.	97.50	
20-22	ft.	115.00	
22-24	ft.	135.00	

TSUGA DIVERSIFOLIA

JAPANESE HEMLOCK

Height 40 to 50 ft.; compact columnar habit; deep twisted foliage.

2-3	ft.	6.00	55.00
3-4	ft.	8.00	72.50
4-5	ft.	10.00	90.00
5-6	ft.	12.50	110.00
6-7	ft.	15.00	

DECIDUOUS SHRUBS

Deciduous Shrubs drop their foliage in late Fall and Winter

SPECIMENS:

Shrubs marked "Specimens" are exceptionally heavy and broad, having been cut back and transplanted 4 to 6 feet apart.

Shrubs not marked "B&B" (Balled and Burlapped) can be moved with bare roots, when dormant. Should Balling and Burlapping be desired on such shrubs, an extra charge will be made as follows:

CIIC	190	AA TIT	De	made	us	101	TO W S.		
2-3	ft.	*****		• • • • • • • • • • • • •	•••••		• • • • • • • • • • • • • • • • • • • •	\$.50
3-4	ft.	*****			•••••		•••••	••	.75
4-5	ft.	•••••			•••••	•••••	•••••		1.00
5-6	ft.	******	• • • • •	• • • • • • • • • • • • • • • • • • • •	•••••		•••••		1.50
See	Ger	ieral	Inf	ormati	on i	for	further	de	tails

ACANTHOPANAX PENTAPHYLLUM FIVE-LEAF ARALIA

Height 8 to 10 ft.; arching branches; dark glossy foliage.

Heig	ht	Each	Per 10
$1\frac{1}{2}$ -2	ft.	.60	5.50
2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	
5-6	ft.	2.00	

ARONIA ARBUTIFOLIA

RED CHOKEBERRY

Height 6 to 8 ft.; clusters of white flowers in Spring; red berries in Fall; red foliage in Fall.

•	-		
11/2-2	ft.	.60	5.50
2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50
5-6	ft.	2.00	

ARONIA MELANOCARPA

BLACK CHOKEBERRY

Height 8 to 10 ft.; clusters of white flowers in Spring; black fruit in Fall; red foliage in Fall.

Heig	ht	1. 16	Each	Pe	r 10
2-3	ft.	* *	\$.75	\$	7.00
3-4	ft.	1	1.00		9.00
4-5	ft.		1.50		13.50
5-6	ft.		2.00		17.50

AZALEA CALENDULACEA

FLAME AZALEA

Height 6 to 8 ft.; brilliant orange-red flowers in May and June.

1½-2 ft. B&B 5.00 45.00

AZALEA POUKHANENSIS

KOREAN AZALEA

Height 3 ft.; low broad habit; single orchid-colored flowers in May.

15-18 in. spread B&B 4.00 36.00

AZALEA ROSEA

DOWNY PINXTERBLOOM

Height 6 to 8 ft.; large fragrant bright-pink flowers in May; native.

$1\frac{1}{2}-2$	ft.	B&B	3.50	31.50
2 -21/2	ft.	B&B	4.50	40.00
21/2-3	ft.	B&B	6.00	55.00
3-4	ft.	B&B	8.50	75.00

AZALEA VISCOSA

SWAMP AZALEA

Height 6 to 8 ft.; fragrant pinkish-white flowers in June and July; native.

15-18	in. B&B	3.00	27.50
11/2-2	ft. B&B	3.50	31.50
2 -21/2	ft R&R	4.50	40 00

AZALEA YODOGAWA

YODOGAWA AZALEA

Height 5 ft.; wide spreading habit; double lavender flowers in May.

3 -31/2	ft.	spread	B&B	6.00	
31/2-4	ft.	spread	B&B	7,50	67.50
4 -41/2	ft.	spread	B&B	9.00	
$4\frac{1}{2}-5$	ft.	spread	B&B	11.00	
5-6	ft.	spread	B&B	13.50	

BERBERIS THUNBERGI

JAPANESE BARBERRY

Height 5 to 6 ft.; compact twiggy habit; thorny; scarlet foliage and berries in Fall.

		Per 10	Per 100
12-18	in.	4. 75	42.50
21/2-3	ft.	7.50	
3 -31/2	ft.	8.50	
31/2-4	ft.	10.00	

B. T. ATROPURPUREA PURPLE JAPANESE BARBERRY

Red-leaf variety of Berberis thunbergi.

$2 -2\frac{1}{2}$ ft.	6.75		
$2\frac{1}{2}$ -3 ft.	8.00		72.50
3 -3½ ft.	9.50	\	85.00
$3\frac{1}{2}-4$ ft.	11.00		95.00
4-5 ft.	13.50		

BUDDLEIA DAVIDI VEITCHIANA

VEITCH BUTTERFLYBUSH

Height 5 to 6 ft.; slender arching branches; large clusters of blue-lavender flowers in July and August.

	Each	Per 10
2 year	1.00	9.00

CARAGANA ARBORESCENS SIBERIAN PEA-SHRUB

Height 12 to 15 ft.; small tree form; small clusters of yellow flowers in May and June.

		-		
	Heigl	at	Each	Per 10
	2-3	ft.	\$.75	\$ 7.00
	3-4	ft.	1.00	9.00
	4-5	ft.	1.50	13.50
	5-6	ft.	2.00	17.50
	6-7	ft. B&B	3.50	31.50
	7-8	ft. B&B	4.25	
Specimens	7-8	ft. B&B	6.00	55.00
Specimens	8-10	ft. B&B	8.00	

CLETHRA ALNIFOLIA

SUMMERSWEET CLETHRA

Height 6 to 8 ft.; upright branches; spikes of fragrant white flowers in July to September; native.

11/2-2	ft.	1.00	9.00
2-3	ft.	1.50	13.50
3-4	ft.	2.00	17.50

COMPTONIA ASPLENIFOLIA

SWEETFERN

Height 2 to 3 ft.; low spreading habit; pungent fern-like foliage; native.

2-3	ft. B&B	1.50	13.50
3-4	ft. B&B	2.50	22.50
4-5	ft. B&B	4.00	36.00

CORNUS ALBA SIBIRICA

SIBERIAN DOGWOOD

Height 6 to 8 ft.; broad spreading form; coral-red bark; flat clusters of white flowers in May and June; bluishwhite fruit.

	11/2-2	ft.	.60	5.50
	2-3	ft.	.75	7.00
	3-4	ft.	1.00	9.00
	4-5	ft.	1.50	13.50
	5-6	ft.	2.00	17.50
	6-7	ft. B&B	4.50	
Specimens	4-5	ft. B&B	3.50	
Specimens	5-6	ft. B&B	4.50	
Specimens	6-7	ft. B&B	6.00	

CORNUS MAS

CORNELIANCHERRY DOGWOOD

Height 6 to 8 ft.; gray bark; clusters of yellow flowers precede leaves; scarlet fruit in Summer.

4-5	ft.	2.00	17.50
5-6	ft. B&B	4.00	36.00
6-7	ft. B&B	5.00	
7-8	ft B&B	6.50	

CORNUS PANICULATA (racemosa)

GRAY DOGWOOD

Height 10 to 12 ft.; numerous gray upright branches; clusters of white flowers in May; white berries in Fall.

Specimens	4-5	ft. B&B	3.25	30.00
Specimens	5-6	ft. B&B	4.00	36.00
Specimens	6-7	ft. B&B	5.00	

CORNUS STOLONIFERA

RED OSIER DOGWOOD

Height 6 to 8 ft.; spreading habit; red bark; white flowers in May and June; white fruit.

	$1\frac{1}{2}-2$	ft.	.60	5.50
	2-3	ft.	.75	7.00
Specimens	4-5	ft. B&B	3.25	
Specimens	5-6	ft. B&B	4.00	36.00
Specimens	6-7	ft. B&B	5.00	45.00
Specimens	7-8	ft. B&B	6.00	55.00

GOLDENTWIG DOGWOOD CORNUS STOL. LUTEA

Height 5 to 6 ft.; spreading habit; yellow bark; white flowers and fruit in clusters.

Heig	ht	Each	Per 10
11/2-2	ft.	\$.75	\$ 7.00
2-3	ft.	1.00	9.00
3-4	ft.	1.50	13.50

COTONEASTER DIVARICATA SPDG. COTONEASTER

Height 5 to 6 ft.; broad arching habit; small pink flowers in June; red fruit.

15-18	in. B&B	1.75	15.00
11/2-2	ft. B&B	2.50	22.50
2 -21/2	ft. B&B	3.25	30.00
$2\frac{1}{2}-3$	ft. B&B	4.00	36.00

COTONEASTER FOVEOLATA GLOSSY COTONEASTER

Height 8 to 10 ft.; irregular spreading habit; small pink flowers in June; scarlet foliage in Fall; black fruit.

$1\frac{1}{2}-2$	ft.	B&B	1.50	13.50
2 -21/2	ft.	B&B	1.75	15.00
21/2-3	ft.	B&B	2.00	17.50
3 -31/2	ft.	B&B	2.50	22.50
31/2-4	ft.	B&B	3.00	27.50
4-5	ft.	B&B	4.00	36.00
5-6	ft.	B&B	5.50	

COTONEASTER RACEMIFLORA SOONGORICA
Height 6 to 7 ft.; spreading habit; coral-red berries in Fall.

2	$-2\frac{1}{2}$	ft.	B&B	3.25
21	/2-3	ft.	B&B	4.00
	3-4	ft.	B&B	5.50

WILSON COTONEASTER COTONEASTER WILSONI

Height 4 to 5 ft.; broad arching habit; dark glossy foliage; dark red fruit.

21/2-3	ft. B&B	4.50	40.00
Z / 2-3	II. DQD	4.50	40.00
3-4	ft. B&B	6.00	55.00
4-5	ft. B&B	8.00	72.50

COTONEASTER ZABELI ZABEL COTONEASTER

Height 4 to 6 ft.; slender arching branches; vivid red berries.

2 -21/2	ft.	B&B	3.50	31.50
$2\frac{1}{2}-3$	ft.	B&B	4.50	40.00
3-4	fŧ	R&R	6.00	

CYDONIA JAPONICA FLOWERING QUINCE

Height 6 to 8 ft.; dense spreading habit; brilliant pink to scarlet flowers in April and May precede leaves.

12-15	in.	spread		.60	5.50
15-18	in.	spread		.75	7.00
11/2-2	ft.	spread		1.00	9.00
2 -21/2	ft.	spread		1.25	11.00
$1\frac{1}{2}-2$	ft.	spread	B&B	1.75	15.00
2 -21/2	ft.	spread	B&B	2.50	22.50
21/2-3	ft.	spread	B&B	3.50	31.50
	15-18 1½-2 2 -2½ 1½-2 2 -2½	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 -21/2 ft. spread	15-18 in. spread 1½-2 ft. spread 2 -2½ ft. spread 1½-2 ft. spread B&B 2 -2½ ft. spread B&B	15-18 in. spread .75 1½-2 ft. spread 1.00 2 -2½ ft. spread 1.25 1½-2 ft. spread B&B 1.75

SLENDER DEUTZIA DEUTZIA GRACILIS

Height 3 ft.; dwarf compact habit; clusters of white flowers in May.

12-15	in.	.85	8.00
15-18	in.	1.00	9.00

DEUTZIA GRACILIS ROSEA ROSEPANICLE DEUTZIA Pink-flowering variety of Deutzia gracilis.

11111 110 11 011119	, 4110.7		3		
	12-15	in.	,	.85	8.00
	15-18	in.		1.00	9.00

D	. SCAR	BRA	CAN	IIDI	DISSIMA	:	SNOWFI	.AKI	E DEUTZIA
	Height	10 t	0 12	ft.:	double	white	flowers	in l	May.

Heigl	ht	Each	Per 10
$1\frac{1}{2}-2$	ft.	\$.75	\$ 7.00
2-3	ft.	1.00	9.00
3-4	ft.	1.50	13.50

D. S. P. OF R. PRIDE OF ROCHESTER DEUTZIA

Height 10 to 12 ft.; upright arching habit; large double white to pink flowers in May.

2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50
5-6	ft.	2.00	17.50

ELAEAGNUS LONGIPES (multiflora) CHERRY ELAEAGNUS

Height 6 to 8 ft.; fragrant yellow flowers in May; clusters of red fruit.

Specimens	4-5	ft.	B&B	4.00	36.00
Specimens	5-6	ft.	B&B	5.00	45.00
Specimens	6-7	ft.	B&B	6.50	57.50

ENKIANTHUS CAMPANULATUS REDVEIN ENKIANTHUS

Height 6 to 7 ft.; erect symmetrical habit; pendulous clusters of creamy-white flowers, veined red in May; scarlet foliage in Fall.

11/2-2	ft. B&B	2.25	20.00
2-3	ft. B&B	3.00	27.50
3-4	ft. B&B	3.75	33.50
4-5	ft. B&B	5.25	47.50

EUONYMUS ALATUS

WINGED EUONYMUS

Height 8 to 10 ft.; broad compact habit; corky bark; crimson foliage and red fruit in Fall.

3-4	f.	2.00	17.50
3-4	TT.	2.00	17.50

EUONYMUS YEDOENSIS

YEDDO EUONYMUS

Height 12 to 15 ft.; round open habit; light-yellow flowers in June; pink fruit in Fall.

2-3	ft.	1.50	13.50
3-4	ft.	2.00	17.50
4-5	ft.	2.50	

FORSYTHIA INTERMEDIA

BORDER FORSYTHIA

Height 10 to 12 ft.; arching habit; yellow flowers in late March and early April.

$1\frac{1}{2}$ -2	ft.	.60	5.50
2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50
5-6	ft.	2.00	17.50
6-7	ft. B&B	4.50	40.00
7-8	ft. B&B	6.00	55.00

F. INT. SPECTABILIS

SHOWY BORDER FORSYTHIA

Variety of For. int., with profuse golden-yellow flowers.

2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50
5-6	ft.	2.00	17.50
6-7	ft. B&B	4.50	40.00

FORSYTHIA OVATA

EARLY FORSYTHIA

Height 10 to 12 ft.; upright habit; small leaves; pale-yellow flowers in March.

	11/2-2	ft.	.75	7.00
4	2-3	ft.	1.00	9.00
	3-4	ft.	1.25	11.00
	4-5	ft.	1.50	13.50

FORSYTHIA	VIRIDISSIMA	GREENSTEM	FORSYTHIA
	4 90000 000000.000	O 1122110 1 22.2	

Height 10 to 12 ft.; upright arching habit; green bark; pale-yellow flowers in late April.

Heig	ht	Each	Pe	er 10
11/2-2	ft.	\$.60	\$	5.50
2-3	ft.	.75		7.00

HIBISCUS SYRIACUS

SHRUB-ALTHEA

Height 10 to 12 ft.; erect symmetrical habit; leaves appear in May; large flowers in August and September.

Available in Red, White or Pink; single or double blossoms.

2-3 ft. .85 8.00

HYDRANGEA PANICULATA PANICULE HYDRANGEA

Height 6 to 8 ft.; upright open habit; panicles of white flowers in August.

Specimens	7-8	ft. B&B	6.00	55.00
Specimens	8-9	ft. B&B	8.00	

HYPERICUM AUREUM GOLDEN ST. JOHNSWORT

Height 6 to 8 ft.; upright arching branches; clusters of yellow flowers in July and August.

15-18	in.	.60	5.50
11/2-2	ft.	.75	7.00
2-3	ft.	1.00	9.00
3-4	ft.	1.25	11.00
4-5	ft.	1.75	15.00

ILEX VERTICILLATA

WINTERBERRY

Height 10 to 15 ft.; upright open habit; black bark; red berries in late Fall.

	2-3	ft.	1.25	11.00
	3-4	ft.	1.75	15.00
	4-5	ft. B&B	3.25	30.00
	5-6	ft. B&B	4.50	40.00
Specimens	6-7	ft. B&B	6.50	
Specimens	7-8	ft. B&B	8.50	
Specimens	8-9	ft. B&B	12.50	

KOLKWITZIA AMABILIS

BEAUTYBUSH

Height 6 to 8 ft.; slender arching branches; masses of pink bell-like flowers in May.

15-18	in	.90	8.50
$1\frac{1}{2}-2$	ft.	1.25	11.50

LIGUSTRUM IBOTA REGELIANUM REGELS PRIVET

Height 10 to 12 ft.; dense spreading habit; horizontal branching.

1½-2 ft. .60 5.50

LONICERA BELLA ALBIDA

WHITE BELLE HONEYSUCKLE

Height 8 to 10 ft.; upright spreading habit; white flowers in May and June; red fruit.

11/2-2	ft.	.60	5.50
2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50

LONICERA FRAGRANTISSIMA WINTER HONEYSUCKLE

Height 6 to 8 ft.; arching branches; dark foliage persists through early Winter; small fragrant white flowers in April; red fruit in July.

	11/2-2	ft.	.60	5.50
	2-3	ft.	.75	7.00
	3-4	ft.	1.00	9.00
Specimens	2-3	ft.	1.25	
Specimens	3-4	ft.	1.75	15.00
Specimens	4-5	ft. B&B	3.25	

LONICERA INVOLUCRATA FLAVESCENS BEARBERRY HONEYSUCKLE

Height 4 to 6 ft.; low spreading habit; yellow flowers in May; shiny black fruit.

Heig	ht	Each	Pe	er 10
2-3	ft.	\$.75	\$	7.00
3-4	ft.	1.00		9.00

LONICERA MORROWI

MORROW HONEYSUCKLE

Height 6 to 8 ft.; broad spreading habit; pink flowers in May; red or yellow fruit in July.

11/2-2	ft.	.60	5.50
2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50
5-6	ft.	2.00	

LONICERA PROSTRATA

CREEPING HONEYSUCKLE

Height 2 to 3 ft.; low spreading habit; red fruit.

11/2-2	ft. spread	.75	7.00
2-3	ft. spread	1.00	9.00
3-4	ft. spread	1.50	13.50
4-5	ft. spread B&B	3.00	27.50
5-6	ft. spread B&B	4.50	

L. TATAR. ROSEA

PINK TATARIAN HONEYSUCKLE

Height 8 to 10 ft.; upright open habit; pink flowers in May; red fruit in July.

	11/2-2	ft.	.60	5.50
	2-3	ft.	.75	7.00
	3-4	ft.	1.00	9.00
	4-5	ft.	1.50	13.50
Specimens	3-4	ft.	1.75	15.00
Specimens	4-5	ft. B&B	3.25	30.00
Specimens	5-6	ft. B&B	4.50	40.00

L. TAT. RUBRA

RED TATARIAN HONEYSUCKLE

Red-flowered variety of Lon. tat. rosea.

_			
2-3	ft.	75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	

PHILADELPHUS CORONARIUS SWEET MOCKORANGE

Height 12 to 15 ft.; upright arching habit; clusters of fragrant white flowers in May and June.

	4		
2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50
5-6	ft.	2.00	17.50

PHILADELPHUS CYMOSUS VOIE LACTEE

Height 6 to 8 ft.; fragrant semi-double white flowers in May and June.

3-4	ft.	1.00	9.00
1-5	f+	1.50	

PHILA. INODORUS GRANDIFLORUS

BIG MOCKORANGE

Height 12 to 15 ft.; large white flowers in June.

2-3	ft.	.75	7.00
3-4	ft.	1.00	
4-5	ft.	1.50	
5-6	ft.	2.00	
6-7	ft. B&B	4.50	
7-8	ft. B&B	6.00	
8-9	ft. B&B	7.50	

PHILA. VIRGINALIS

VIRGINAL MOCKORANGE

Height 6 to 8 ft.; large semi-double fragrant white flowers in late Spring.

Heig	ht	Each	Pe	er 10
2-3	ft.	\$.75	\$	7.00
3-4	ft.	1.00		9.00
4-5	ft.	1.50		13.50
5-6	ft.	2.00		

PHOTINIA VILLOSA

CHRISTMASBERRY

Height 12 to 15 ft.; open irregular habit; small white flowers in June; red foliage and berries in Fall.

			2011102 111 1 0111	
	2-3	ft.	1.00	9.00
	3-4	ft.	1.50	13.50
	4-5	ft.	2.25	20.00
	5-6	ft. B&B	4.00	36.00
	6-7	ft. B&B	5.00	
	7-8	ft. B&B	7.50	
	8-10	ft. B&B	9.50	
Specimens	6-7	ft. B&B	6.50	
Specimens	7-8	ft. B&B	9.00	
Specimens	8-10	ft. B&B	14.50	
Specimens	10-12	ft. B&B	20.00	

PHYSOCARPUS OPULIFOLIUS

NINEBARK

Height 12-15 ft.; coarse spreading habit; yellowish-green foliage; clusters of white flowers in June; yellow fruit in Fall.

		3-4	ft.		1.00	9.00
		4-5	ft.		1.50	13.50
Specimens	/	4-5	ft.	B&B	3.00	27.50
Specimens		5-6	ft.	B&B	4.00	36.00
Specimens		6-7	ft.	B&B	5.00	45.00
Specimens		7-8	ft.	B&B	6.00	55.00

RHAMNUS CATHARTICA

BUCKTHORN

Height 12 to 15 ft.; dense thorny branching; glossy foliage; black fruit in Fall.

2-3	ft.	. 75	7.00
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50
5-6	ft. B&B	3.50	31.50
6-7	ft. B&B	4.50	40.00

RHUS CANADENSIS

FRAGRANT SUMAC

Height 8 to 10 ft.; broad open habit; finely-divided fragrant foliage; clusters of yellow flowers in early Spring; red fruit in late Summer.

2-3	ft.	1.25	
3-4	ft.	1.75	15.00

SALIX GRACILISTYLA

LONGSTYLE WILLOW

Height 5 to 6 ft.; low-branched spreading habit; large catkins before blue-green leaves.

15-18	in.	spread		.75	7.00
4-5	ft.	spread	B&B	3.00	27.50
5-6	ft.	spread	B&B	4.00	36.00
6-7	ft.	spread	B&B	5.00	45.00
7-8	ft.	spread	B&B	6.50	57.50
8-9	ft.	spread	B&B	8.00	

SALIX INCANA GROS

ROSEMARY WILLOW

Height 10 to 12 ft.; bushy arching habit; small catkins; long narrow leaves are green above, grayish-white beneath.

Heavy specimens.

TAKE.					
5-6	ft.	spread	B&B	5.00	45.00
6-7	ft.	spread	B&B	6.50	

SHEPHERDIA ARGE Height 12 to 15				FALOBERRY
foliage; red fruit.	11.;	ibridii obeii	nabit;	silver-gray
·	Heig	ht :	Each	Per 10
	5-6	ft.	\$2.50	\$ 22.50
	5-6	ft. B&B	4.50	40.00
		ft. B&B ft. B&B	5.50 6.50	
	8-9		7.50	67.50
SORBARIA SORBIFO	OLIA	τ	IRAL FA	LSE SPIREA
Height 4 to 5 ft				
white flowers in				
	3-4		1.75	15.00
	4-5	ft.	2.50	22.50
SPIRAEA A. W.				RER SPIREA
Height 3 to 4 ft pink flowers in Ju		npact habit;	clusters	of deep-
	12-18	in.	.85	8.00
SPIRAEA ARGUTA			GARLA	ND SPIREA
Height 6 to 8 ft.;				y foliage;
single white flower		_	_	
	2-3		.75	7.00
	3-4 4-5	ft. ft.	1.00 1.50	9.00 13.50
	5-6	ft. B&B	3.50	31.50
	6-7	ft. B&B	4.50	
SPIRAEA THUNBER	GI		THUNBE	RG SPIREA
		ender uprigh		
foliage; masses o				
C 1	2-3		1.00	9.00
Specimens Specimens	3-4 4-5	ft. B&B	2.50 4.00	22.50
Specimens		ft. B&B	6.00	
SPIRAEA TRICHOCA	RPA		KORE	AN SPIREA
Height 6 to 8 ft.;		e upright bra		
small clusters of	white	flowers in 1	May.	
	2-3	ft.	.75	7.00
	3-4 4-5	ft. ft.	1.00 1.50	9.00
SPIRAEA VANHOUT Height 6 to 8 ft.;	wee	ping habit; r		TTE SPIREA of clusters
of small white flo		•		
	2-3 3-4	ft. ft.	.75 1.00	7.00 9.00
	4-5	ft.	1.50	13.50
	4-5	ft. B&B	3.50	20.00
-		ft. B&B	5.00	45.00
-	6-7	ft. B&B	6.50	
SYMPLOCOS PANIC Height 10 to 12 ft. blue berries in Se	; upr	ight spreadin		HIREBERRY sapphire-
	2-3	ft.	1.25	11.00
	3-4	ft.	2.00	17.50
	4-5	ft. B&B	3.75	33.50
SYRINGA JOSIKAEA Height 10 to 12	ft.;	coarse irreg	ular hak	
clusters of lavende			_	•
	4-5 5-6	ft.	2.25	

5-6

6-7

5-6

6-7

Specimens

Specimens

ft. B&B

ft. B&B

ft. B&B

ft. B&B

4.00

5.75 5.00 7.50

SYRINGA VULGARIS

COMMON LILAC

Height 15 to 20 ft.; heavy upright habit; large clusters of fragrant lavender flowers in May,

	Heigh	t	Each	Per 10
	2-3	ft.	\$ 1.25	\$ 11.00
	3-4	ft.	1.75	15.00
	4-5	ft.	2.25	20.00
	5 -6	ft.	3.00	27.50
Specimens	6-7	ft. B&B	9.00	80.00
Specimens	7-8	ft. B&B	11.50	100.00
Specimens	8-9	ft. B&B	15.00	135.00
Specimens	9-10	ft. B&B	20.00	180.00
Specimens	10-12	ft. B&B	25.00	

SYRINGA VULGARIS ALBA WHITE COMMON LILAC

White-flowering variety of Syringa vulgaris.

6-7 ft. B&B 6.50 7-8 ft. B&B 9.00

SYRINGA HYBRIDS

FRENCH HYBRID LILAC

Height 8 to 10 ft.; bloom in May.

11/2-2	ft.	1.75	15.00
2-3	ft.	2.00	17.50
3-4	ft.	2.50	22.50
4-5	ft.	3.50	31.50
5-6	ft. B&B	6.00	55.00
6-7	ft. B&B	8.00	72.50

VACCINIUM CORYMBOSUM

HIGHBUSH BLUEBERRY

Height 6 to 8 ft.; broad irregular habit; scarlet foliage in Fall; edible blue-black berries in August; native.

2-3	ft. B&B	3.00	27.50
3-4	ft. B&B	3.75	33.50
4-5	ft. B&B	5.00	45.00

VIBURNUM ACERIFOLIUM

MAPLELEAF VIBURNUM

Height 5 to 6 ft.; upright arching habit; clusters of white flowers in May and June; red foliage in Fall.

2-3	ft.	1.00	9.00
3-4	ft.	1.25	11.00
4-5	ft.	1.75	15.00
5-6	ft.	2.50	

V. AMERICANUM

AMERICAN CRANBERRYBUSH

Height 10 to 12 ft.; open upright habit; clusters of white flowers in May, followed by scarlet fruit.

	_	_	
Specimens	6-7	ft. B&B	5.50
Specimens	7-8	ft. B&B	7.50
Specimens	. 8-9	ft. B&B	9.50
Specimens	9-10	ft. B&B	12.50

VIBURNUM CASSINOIDES

WITHEROD

Height 10 to 12 ft.; compact upright habit; clusters of creamy-white flowers in June; red and purple foliage in Fall; fruit changes from pink to black.

2-3	ft.	1.00	9.00
3-4	ft.	1.25	11.00
4-5	ft.	1.75	

VIBURNUM DENTATUM

ARROWWOOD

Height 10 to 12 ft.; multi-stemmed upright habit; white flowers in May; purple-red foliage and blue-black fruit in Fall.

Specimens	3-4	ft.	1.50	13.50
Specimens	4-5	ft.	2.00	17.50
Specimens	5-6	ft.	3.00	27.50
Specimens	8-9	ft. B&B	8.50	
Specimens	9-10	ft. B&B	10.00	
Specimens	10-12	ft. B&B	12.00	

VIBURNUM DILATATUM

LINDEN VIBURNUM

Height 8 to 10 ft.; upright spreading branches; white flowers in May; heavy clusters of scarlet fruit.

Heigl	at	, -	Each	Per 10
$1\frac{1}{2}-2$	ft.		\$1.00	\$ 9.00
2-3	ft.		1.50	13.50
3-4	ft.		2.00	17.50
4-5	ft.		3.00	

VIBURNUM LANTANA

WAYFARINGTREE

Height 12 to 15 ft.; open upright habit; white flowers in May and June; red fruit changes to black.

11/2-2	ft.	.75	7.00
2-3	ft.	1.00	9.00
3-4	ft.	1.25	11.00
4-5	ft.	1.50	13.50
5-6	ft. B&B	4.00	
6-7	ft. B&B	5.50	
7-8	ft. B&B	7.50	

VIBURNUM LENTAGO

NANNYBERRY

Height 15 to 18 ft.; upright spreading habit; clusters of small white flowers in May and June; blue-black fruit.

Specimens	6-7	ft. B&B	6.50
Specimens	7-8	ft. B&B	7.50
Specimens	8-9	ft. B&B	9.50
Specimens	9-10	ft. B&B	12.50
Specimens	10-12	ft. B&B	15.00

VIBURNUM MOLLE

KENTUCKY VIBURNUM

Height 10 to 12 ft.; dense upright habit; flaky bark; clusters of small white flowers in May; blue fruit in August.

2-3	ft.	.75	7.00
3-4	ft.	1.00	9.00

VIBURNUM OPULUS

EUROPEAN CRANBERRYBUSH

Height 10 to 12 ft.; broad upright habit; flat clusters of white flowers in May and June; scarlet fruit.

	3-4	ft.	1.00	9.00
	4-5	ft.	1.50	13.50
	5-6	ft.	2.00	17.50
	6-7	ft. B&B	4.50	
	7-8	ft. B&B	6.00	
Specimens	4-5	ft. B&B	3.50	
Specimens	5-6	ft. B&B	4.50	40.00
Specimens	6-7	ft. B&B	5.50	
Specimens	7-8	ft. B&B	7.50	
Specimens	8-9	ft. B&B	9.50	
Specimens	9-10	ft. B&B	12.50	

V. OPULUS STERILE

OPULUS STERILE OLD FASHIONED SNOWBALL Height 10 to 12 ft.; large round clusters of white flowers in late May.

	_			
	11/2-2	ft.	.75	7.00
	2-3	ft.	1.00	9.00
	3-4	ft.	1.50	13.50
	4-5	ft.	2.00	17.50
Specimens	4-5	ft. B&B	4.00	36.00
Specimens	5-6	ft. B&B	5.00	45.00
Specimens	6-7	ft. B&B	6.00	

VIBURNUM PRUNIFOLIUM

BLACKHAW

Height 12 to 15 ft.; upright spreading habit; irregular branching; white flowers in May and June; pink fruit turns to black.

2-3	ft.	1.25	11.00
3-4	ft.	1.75	

VIBURNUM SIEBOLDI

SIEBOLD VIBURNUM

Height 8 to 10 ft.; heavy upright open habit; dark glossy foliage; long clusters of white flowers in May and June; scarlet fruit changes to black.

Height		Each	Per 10
3-4	ft.	\$1.75	
4-5	ft.	2.25	\$ 20.00
5-6	ft.	3.00	

VIBURNUM TOMENTOSUM DOUBLEFILE VIBURNUM

Height 10 to 12 ft.; upright spreading habit; horizontal branches; flat clusters of white flowers in May and June; blue-black fruit.

11/2-2	ft.	1.50	13.50
2-3	ft.	1.75	15.00
3-4	ft.	2.25	
4-5	ft.	2.75	

VIBURNUM TOM. PLICATUM JAPANESE SNOWBALL Height 6 to 8 ft.; broad upright habit; large round clusters of white flowers in May and June.

2-3	ft.	1.75	15.00
3-4	ft.	2.25	20.00
4-5	ft.	2.75	25.00
5-6	ft.	3.50	

WEIGELA AMABILIS (florida)

ROSE WEIGELA

Height	8	to I	U II.;	up	right	arching	pranches;	pink
flowers	in	May	and	June	э.			
			2	A	£1		1.00	0.00

3-4 1.00 9.00 ft.

WEIGELA ROSEA

PINK WEIGELA

Height 8 to 10 ft.; upright arching branches; pink flowers in May and June.

2-3	ft.	.75	
3-4	ft.	1.00	9.00
4-5	ft.	1.50	13.50

EVERGREEN SHRUBS

Evergreen Shrubs retain their foliage throughout the year.

Prices on Evergreen Shrubs include careful balling and burlapping. See General Information for further details.

BUXUS SEMPERVIRENS

AMERICAN BOX

Height 6 to 8 ft.; compact rounded habit; small glossy dark foliage; hardy.

(Measured by their greatest dimension.)

Height	Each	Per 10
12-15 in.	1.00	9.00
15-18 in.	1.25	11.00
$1\frac{1}{2}$ -2 ft.	2.00	17.50
2 $-2\frac{1}{2}$ ft.	3.00	27.50
$2\frac{1}{2}$ -3 ft.	4.00	36.00

DAPHNE CNEORUM

ROSE DAPHNE

Height 15 to 18 in.; slow-growing; broad compact habit; small leaves; profuse clusters of fragrant small rose-pink flowers in early Spring and again in late Summer.

6-8	in.	spread	.90	8.50
8-10	in.	spread	1.35	12.00
10-12	in.	spread	1.75	15.00
12-15	in.	spread	2.25	20.00
15-18	in.	spread	3.00	27.50

ILEX CRENATA BULLATA

CONVEXLEAF JAPANESE HOLLY

Height 4 to 5 ft.; compact rounded habit; small dark glossy foliage; black fruit.

(Measured by their greatest dimension.)

Height	Each	Per 10
15-18 in.	\$4.50	\$ 40.00
$1\frac{1}{2}$ -2 ft.	5.50	50.00
$2 -2\frac{1}{2}$ ft.	7.00	62.50
$2\frac{1}{2}$ -3 ft.	8.50	75.00
3 -3½ ft.	10.00	90.00

KALMIA LATIFOLIA

MOUNTAINLAUREL

Height 8 to 10 ft.; dense and flat-topped when young, open and irregular when mature; long dark glossy leaves; masses of pale-pink flowers in clusters in May and June; native.

(Measured by their greatest dimension.)

15-18	in.	2.25	20.00
$1\frac{1}{2}-2$	ft.	2.50	22.50
2 -21/2	ft.	3.00	27.50
21/2-3	ft.	3.50	31.50
3 -31/2	ft.	4.50	40.00

LEUCOTHOE CATESBAEI

DROOPING LEUCOTHOE

Height 3 to 4 ft.; long arching branches; glossy leaves are green above, reddish beneath; drooping clusters of fragrant white flowers in May.

(Measured by their greatest dimension.)

12-15	in.	2.00	17.50
15-18	in.	2.50	22.50
$1\frac{1}{2}-2$	ft.	3.50	31.50
2 -21/2	ft.	4.50	40.00

PACHISTIMA CANBYI

CANBY PACHISTIMA

Height 8 to 12 in.; slow-growing; dense minute glossy leaves; tiny red flowers in April and May.

8-10 ir	a. spread	.75	7.00
10-12 ir	n. spread	1.00	9.00
12-15 in	. spread	1.25	11.00

PIERIS JAPONICA

JAPANESE ANDROMEDA

Height 4 to 6 ft.; broad arching habit; dark glossy foliage turns bronze in the Fall; pendulous sprays of white flowers in April and May.

(Measured by their greatest dimension.)

12-15 in.	3.50	31.50
15-18 in.	4.50	40.00
$1\frac{1}{2}$ -2 ft.	6.00	55.00
$2 -2\frac{1}{2}$ ft.	7.50	

RHODODENDRON CATAWBIENSE

CATAWBA RHODODENDRON

Height 8 to 10 ft.; broad glossy leaves; lavender to rosy-pink flowers in May and June.

(Measured by their greatest dimension.)

ion gro	ALCOL	difficitible 11.7	
12-18	in.	3.50	31.50
11/2-2	ft.	5.00	

RHODO. MAXIMUM

ROSEBAY RHODODENDRON

Height 12 to 15 ft.; broad glossy dark leaves; large pale-pink or lavender flowers in June.

(Measured by their greatest dimension.)

1 1/2-2	ft.	4.50	40.00
$2 -2\frac{1}{2}$	ft.	5.50	50.00
21/2-3	ft.	6.50	57.50
3-4	ft.	8.00	72.50
4-5	ft.	10.00	

RHODODENDRON HYBRIDS

Height 6 to 10 ft.; broad glossy dark leaves; flowers in distinct shades of red, pink, lavender and white. (Measured by their greatest dimension.)

Heigh	t	Each	Per 10
15-18	in.	\$6.00	\$55.00
$1\frac{1}{2}-2$	ft.	7.00	62.50
$2 -2\frac{1}{2}$	ft.	8.50	75.00

VINES and GROUND COVERS

AMPELOPSIS TRICUSPIDATA (veitchi)

JAPANESE CREEPER

Dark glossy leaves; blue-black berries; rapid-growing; self-clinging.

Also known as Boston Ivy.

Each Per 10 2 year (bare roots) 1.00 9.00

BIGNONIA (campsis) GRANDIFLORA

CHINESE TRUMPETCREEPER

Growth 25 to 30 ft.; very large brilliant orange-scarlet flowers in August and September.

3 year (potted) 1.50 13.50

CELASTRUS ORBICULATUS ORIENTAL BITTERSWEET Shrubbery growth 10 to 12 ft.; compact clusters of orange-scarlet fruit.

3 year (bare roots) 1.25 11.00

CELASTRUS SCANDENS AMERICAN BITTERSWEET Shrubby growth 10 to 12 ft.; clusters of orange-scarlet fruit; native.

2 year (bare roots) .85 8.00

CLEMATIS PANICULATA SWEET AUTUMN CLEMATIS Growth 25 to 30 ft.; dense clusters of small fragrant white flowers from July to September.

2 year (bare roots) .85 8.00

EUONYMUS RADICANS VEGETUS

BIGLEAF WINTERCREEPER

Shrubby growth 4 to 5 ft.; glossy round leaves; scarlet and orange fruit.

8-10 in. (bare roots) .85 8.00 15-18 in. (bare roots) 1.50 13.50

LONICERA HECKROTTI EVERBLOOM. HONEYSUCKLE

Growth 15 to 20 ft.; trumpet-shaped flowers, rosy-purple outside, golden-yellow inside.

4 year (bare roots) 1.50 13.50

LONICERA HENRYI HENRY HONEYSUCKLE

Vigorous growth 20 to 25 ft.; flowers orange-red outside, apricot inside.

4 year (bare roots) 1.50 13.50

PACHYSANDRA TERMINALIS JAPANESE SPURGE Evergreen ground cover 6 to 8 inches high; glossy dark foliage.

Per 10 Per 100
1 year (bare roots) 1.25 11.50

VINCA MINOR PERIWINKLE

Dense evergreen ground cover 4 to 5 inches high; small dark glossy leaves; lilac-blue flowers in May. Also known as Myrtle.

2 year (bare roots) 2.50 20.00

WISTERIA SINENSIS AND HYBRIDS

Woody growth to 50 ft.; drooping panicles of fragrant flowers, lavender, blue or white.

				E	ach	Per	10
3	year	(bare	roots)	\$	3.00	\$ 27.	.50
7	year	B&B		.]	12.00	105.	.00

ROSES

HYBRID TEAS

CLIMBERS

A limited supply of the better known and proven varieties is available in both Teas and Climbers.

2	year	(bare roots)	1.50	13.50
2	year	(in large pots	s) 2.25	20.00

SHRUB ROSES

ROSA RUGOSA

APPLES

RED RUGOSA ROSE

Height 4 to 6 ft.; compact broad-topped shrub; single crimson to purple flowers, May until frost; large bright red fruit.

2year (12 to 18 in.)

.75

7.00

FRUITS

The fruits here offered are all standard size and available in a limited assortment of the better known varieties in each classification.

Caliper	Age		Each	Per 10		
9-16 in.	2 year	bare roots	2.25	20.00		
11-16 in.	3 year	bare roots	3.25	30.00		
l in.	4 year	bare roots	4.25	37.50		
CRABAPPLES						
9-16 in.	2 year	bare roots	2.25	20.00		
APRICOTS						
$\frac{1}{2}$ in.	_	bare roots	2.50	22.50		
CHERRIES (So						
9-16 in.	2 year	bare roots	2.50	22.50		
CHERRIES (Sv	veet)					
9-16 in.	2 year	bare roots	3.00	27.50		
PEACHES						
9-16 in.	l year	bare roots	2.25	20.00		
PEARS						
7-16 in.	2 year	bare roots	2.75	25.00		
11-16 in.	3 year	bare roots	3.25	30.00		
PLUMS						
9-16 in.	2 year	bare roots	2.75	25.00		
BLUEBERRIES (Cultivated)						
2-year-1	12-18 inch	bare roots	2.25	21.50		
BOYSENBERRIES						
l year	bare roots		.35	3.25		
CURRANTS						
2 year	bare roots		.60	5.50		
GRAPES						
_	bare roots		.60	5.50		
BLACKBERRIES						
			Per 10			
_	bare roots		2.25	20.00		
RASPBERRIES						
l year	bare roots		2.75	26.00		

BEDDING PLANTS

VEGETABLE PLANTS

A good assortment of such plants as Petunias, Ageratum, Geraniums, Verbenas, etc., as well as a general line of vegetable plants are available for May 1946 delivery. List of varieties with prices will be available on or about April 1st.

PLANTING GUIDE

We offer the following suggestions to assist in the selection of material for particular sites.

Consult the Index in the back of the Catalogue to locate the items on the descriptive pages.

Adaptable to Dry Soils

(Soils more than normally dry, but not barren.)

DECIDUOUS TREES

Acer ginnala Acer. pal. atropurp. Acer platanoides Betula alba and varieties Betula populifolia Carpinus betulus Crataegus in variety Fagus in variety
Gleditsia triacanthos
Magnolia in variety Platanus orientalis

EVERGREEN TREES

Chamaecyparis in variety Juniperus in variety Picea in variety Pinus in variety Pseudotsuga douglasi Taxus in variety

DECIDUOUS SHRUBS

Acanthopanax pentaphyllum Berberis thunbergi Caragana arborescens Comptonia asplenifolia Cydonia japonica Deutzia in variety Elaeagnus longipes Hibiscus syriacus Hydrangea paniculata Kolkwitzia amabilis Lonicera in variety Photinia villosa Rhus canadensis

Adaptable to Moist Soils

(Soils which retain more than normal moisture, but which are not stagnant or poorly drained.)

DECIDUOUS TREES

Acer rubrum Crataegus coccinea DECIDUOUS SHRUBS Liquidambar styraciflua Nyssa sylvatica Populus berolinensis Populus nigra italica Salix in variety Ulmus americana

EVERGREEN TREES

Thuja in variety

Aronia in variety Azalea in variety Clethra alnifolia Cornus (Osier types)

Ilex verticillata Physocarpus opulifolius Vaccinium corymbosum

Adaptable to Strong Wind Exposure

DECIDUOUS TREES

Acer platanoides Acer saccharum Crataegus in variety Fagus sylvatica Platanus orientalis

Populus berolinensis Quercus palustris Quercus rubra

EVERGREEN TREES

Picea in variety Pinus in variety

Adaptable to Seashore Planting

(Tolerant to salt air and sandy soil)

DECIDUOUS TREES

Acer platanoides Ginkgo biloba Platanus orientalis Quercus palustris Quercus rubra Ulmus americana

EVERGREEN TREES

Pinus in variety (except strobus)

DECIDUOUS SHRUBS

Aronia in variety Berberis in variety Cornus (Osier types) Forsythia in variety Hibiscus syriacus Hydrangea paniculata Ligustrum ibota regel Philadelphus in variety Vaccinium corymbosum

Adaptable to City Conditions

(Tolerant to smoke-filled air and car gas.)

DECIDUOUS TREES

Acer in variety (except saccharum) Cercidiphyllum japonicum Crataegus in variety

Fagus sylvatica Ginkgo biloba Gleditsia triacanthos Liquidambar styraciflua Magnolia in variety Malus in variety Platanus orientalis Populus berolinensis Quercus in variety

VINES & GROUND COVER

Tilia in variety

Ulmus americana

Ampelopsis triscuspidata Euonymus radicans veg. Pachysandra terminalis Wisteria in variety

EVERGREEN TREES

Juniper. chin. pfitzeriana Juniperus vir. keteleeri Taxus in variety

EVERGREEN SHRUBS

Buxus sempervirens Daphne cneorum Ilex crenata bullata Pachistima canbyi

DECIDUOUS SHRUBS

Acanthopanax pentaphyllum Berberis in variety Cornus alba sibirica Euonymus alatus Forsythia in variety Hibiscus syriacus Hydrangea paniculata Hypericum aureum Ligustrum ibota regel Rhamnus cathartica Spiraea in variety Viburnum in variety

Adaptable to Shaded Conditions

(Receiving sunlight for half the day; not total shade.)

DECIDUOUS TREES

Cornus florida Oxydendrum arboreum

EVERGREEN TREES

Taxus in variety Tsuga in variety

EVERGREEN SHRUBS

Buxus sempervirens Daphne cneorum Ilex crenata bullata Kalmia latifolia Leucothoe catesbaei Pachistima canbyi Pieris japonica Rhododendron in variety

VINES & GROUND COVER

Ampelopsis tricuspidata Euonymus radicans veg. Pachysandra terminalis Vinca minor

DECIDUOUS SHRUBS

Acanthopanax pentaphyllum Aronia in variety Azalea in variety Berberis in variety Clethra alnifolia Cornus in variety Cotoneaster in variety Euonymus in variety Forsythia in variety Hypericum aureum Ilex verticillata Ligustrum ibota regel Lonicera in variety Philadelphus in variety Physocarpus opulifolius Spiraea in variety Vaccinium in variety Viburnum in variety

Adaptable for Hedge Work

(Compact growth, tolerate close planting and shearing.)

DECIDUOUS TREES

Carpinus betulus Crataegus in variety Fagus sylvatica

EVERGREEN TREES

Chamaecyparis in var. Taxus in variety Thuja in variety Tsuga in variety

DECIDUOUS SHRUBS

Berberis thunbergi Cydonia japonica Ligustrum ibota regėl Spiraea in variety Syringa in variety

EVERGREEN SHRUBS


Buxus sempervirens Ilex crenata bullata

GENERAL INDEX

Acanthopanax 20 Acer 1 Althea 25 Ampelopsis 33 Andromeda 32 Apple 34 Aralia 20 Arborvitae 18 Aronia 20 Arrowwood 29 Ash 5 Azalea 21	Dogwood (Shrub) 22 Dogwood (Tree) 3 Dogwood (Osier) 22 Douglas Fir 16 Elaeagnus 24 Elm 12 Enkianthus 24 Euonymus (Shrub) 24 Euonymus (Vines) 33
Barberry 21 Beautybush 25 Bedding Plants 34 Beech 4 Berberis 21 Betula 2 Bignonia 33 Birch 2 Bittersweet 33	Fagus 4 Fir, Douglas 16 Flowering Cherry 10 Flowering Crab 6 Flowering Quince 23 Forsythia 24 Fraxinus 5 Fruits 34
Blackberry	Ginkgo 5 Gleditsia 5 Grape 34 Gum, Sweet 5
Buckthorn 27 Buddleia 21 Buffaloberry 28 Burningbush 24 Butterflybush 21 Buxus 31	Hawthorn3Hemlock19Hibiscus25Holly (Deciduous)25Holly (Evergreen)32Honeylocust5Honeysuckle (Shrub)25
Caragana	Honeysuckle (Vines)33 Hornbeam
Chamaecyparis	Ilex (Deciduous)25 Ilex (Evergreen)32 Ivy, Boston33
Cladrastis 2 Clethra 22 Clematis 33 Comptonia 22 Cornus (Shrub) 22 Cornus (Tree) 3	Japanese Spurge 33 Juniper 13 Juniperus 13
Crabapple (Flowering) 6 Crabapple (Fruiting)34 Cranberrybush30 Cratagus	Kalmia
Creeper, Trumpet	Laurel, Mountain32Leucothoe32Ligustrum25Lilac, Tree11Lilac, Shrub28Linden11Liquidambar5Liriodendron6
Daphne31 Deutzia23	Lonicera (Shrub)

GENERAL INDEX (Continued)

Magnolia6	Sapphireberry28
Maidenhair Tree 5	Shepherdia28
Malus 6	Shrub-Althea25
Maple 1	Snowball, Old-fash30
Mockorange26	Snowball, Jap31
Myrtle33	Snowbell11
	Sorbaria28
	Sour Gum 9
Nannyberry30 Ninebark27	Sourwood9
Ninebark27	Spiraea28
Nyssa9	Spiraea, Ural28
	Spruce15
	Spurge, Japanese33
Oak10	St. Johnswort25
Osier Dogwood22	Styrax11
Oxydendrum9	Sumac27
	Sweetfern22
	Sweetgum5
Pachistima32	Symplocos28
Pachysandra33	Syringa, Tree11
Peach34	Syringa, Shrub28
Pear34	
Pea-Shrub22	
Periwinkle33	Taxus16
Philadelphus26	Thorn
Photinia27	Thuja18
Physocarpus27	Tilia11
Picea15	Trumpetcreeper33
Pieris32	Tsuga19
Pine15	Tuliptree 6
Pinus15 Planetree9	Tupelo9
Platanus 9	
Plum (Fruiting)34	
Poplar10	Ulmus12
Populus10	Omas12
Privet25	
Prunus10	
Pseudotsuga16	Vegetable plants34
1 boadoibaga	Vaccinium29
	Viburnum29
Quercus10	Vinca33
Quince, (Flowering)23	
, the state of the	
	TAT C 1
Raspberry34	Wayfaringtree30
Redcedar14	Weigela31
Retinospora12	Willow, Tree10
Rhamnus27	Willow, Shrub27
Rhododendron27	Winterberry25
Rhus32	Wintercreeper33 Wisteria34
Roses, Tea34	Witherod29
Roses, Climb34	w interod29
Roses, Shrub34	
Salix, Tree10	Yellow-wood2
Salix, Shrub27	Yew16



Printed by Acorn Press, Inc.